

PROGOTI PATHIEY

Achieving the
Mid-Decade Goals for Children
in Bangladesh

January 1996



C O N T E N T

published by

Bangladesh Bureau of Statistics, Ministry of Planning,
Government of the People's Republic of Bangladesh
with assistance from UNICEF

January, 1996

CORRIGENDUM

| Page | Column | Line | Replace This | With This |
|------|--------|------|--------------|----------------|
| 02 | 1 | 1 | Divisions | Division |
| 09 | 2 | 12 | '93&'95 | '93,'94 &'95 |
| 10 | 5 | 17 | +17 | +14 |
| 32 | 12 | 2 | Rural | Division rural |
| 35 | 8 | 2 | 8.8 | 12.6 |
| 35 | 10 | 2 | 7.0 | 7.4 |
| 35 | 8 | 5 | 20.2 | 25.6 |
| 35 | 10 | 5 | 9.6 | 10.1 |
| 35 | 7 | 9 | 22.9 | 2.9 |
| 41 | 2 | 2 | 46.7 | 48.7 |
| 52 | 3 | 18 | 53.1 | 0.0 |
| 52 | 4 | 18 | 46.9 | 100.0 |
| 52 | 5 | 18 | 87.7 | 0.0 |
| 52 | 6 | 18 | 12.3 | 100.0 |
| 53 | 4 | 9 | 99.2 | 92.2 |
| 55 | 10 | 16 | 30.4 | 42.5 |
| 55 | 10 | 18 | 46.7 | 48.7 |
| 59 | - | 9 | 560 | 60 |
| 63 | - | 1 | rate | rare |
| 61 | - | 4 | weighing | weighting |

Note: Diarrhoea treatment practices, Source of treatment of diarrhoea, Use of Sanitary latrines, Source of drinking water, Source of water from household work have multiple answers, therefore total percentage may exceed 100.



Preface 1

Introduction 2

Graphs showing the National Data 11

Maps of Selected Indicators 19

Table showing Summary Data 31

Tables showing District Specific Data 43


A n n e x u r e s

I □ Methodology 59

II □ Definitions used 64

III □ Abbreviations used 67

P R






F A C E

"Progotir Pathey 1996" the latest in the series - reflects the achievements of the Mid-Decade and Summit Goals on the survival, protection, and development of children in Bangladesh. Published jointly by the Bangladesh Bureau of Statistics and UNICEF, the report provides a wealth of valuable information in the sectors related to primary education, nutrition, child health, drinking water, sanitation and other social sector indicators.

The uniqueness of this publication lies in the availability of time series information at district, divisional and national levels which I believe, will enable Programme planners and implementors of concerned government ministries and departments, NGOs and the development partners in formulating plans for achieving the World Summit Goals for children.

The publication of "Progotir Pathey" is an example of collaborative effort between BBS and UNICEF in institutionalizing a mechanism within the BBS for monitoring the achievements of the Mid - Decade and Summit Goals. I am happy to note that a Technical Assistance Project Proforma (TAPP) has been finalized with UNICEF support for the next GOB-UNICEF Country Programme period starting from January 1996 to December 2000 in order to continue with the mechanism.

Finally, I would like to thank Mr. Khurshid Kamal, Joint Director, BBS, Mr. A K M Abdus Salam, Statistical Officer, BBS, Mr. Muhammad Shuaib, Assistant Professor, ISRT, Dhaka University and UNICEF, Bangladesh for their valuable contribution in bringing out this report.



Ataul Haq

Secretary
Statistics Division
and
Director General

Bangladesh Bureau of Statistics
Ministry of Planning

Government of the People's Republic of Bangladesh

Dhaka, December, 1995

I N T R O D U C T I O N

Article 35 of the World Summit Declaration states that all relevant UN agencies, with special emphasis on UNICEF as the world's lead agency for children, would assist and advocate national governments in establishing an appropriate mechanism for timely collection, analysis and publication of data to monitor the progress made towards the fulfillment of the Summit and the Mid-decade goals.

In the recent past, the major source of information on women and children was available from the various surveys conducted by the Bangladesh Bureau of Statistics (BBS). These surveys generated data which reflected the situation of women and children on some of the indicators at the national and divisional levels only. Information at the district level was virtually absent. In order to achieve the goals on Child

Survival Protection and Development it was essential that information regarding the condition of women and children

be available at a sub-

national level (i.e. district level) also, so that the sub-national plans could be developed and monitored at regular intervals of time.

A collaborative effort between UNICEF, UN Statistics Divisions and Institute of Statistical Research and Training, Dhaka University resulted in the development of a statistically sound survey design, which, in a short interval of time, could generate data from District level cost effectively. This rapid survey methodology called the Multiple Indicator Cluster Survey (MICS) has been implemented in all the 64 Districts of Bangladesh from 1993. BBS will coordinate the survey on an annual basis and thus supplement the national information that is being generated through its regular surveys.

In September 1990, the leaders of the world agreed on an agenda for children and women for the 1990s. The World Summit Declaration, as it is called, identified 27 goals to be achieved for the well being of women and children of the world. The Summit also called for all countries to prepare a National Programme of Action for the implementation of programmes to achieve the identified goals.

By July 1993, 90% of the world's children were living in countries who had finalized their NPAs : 83 countries had completed their programmes and were beginning to implement them.

In 1992, South Asian Association for Regional Cooperation (SAARC) adopted two resolutions (Colombo and Dhaka) to achieve some of the World Summit Goals by 1995. It also agreed to accelerate the pace for achieving the mid-decade goals by 1995.

Bangladesh is a signatory to the World Summit Declaration, the Colombo Resolution and the SAARC Summit Declaration of Dhaka. In June 1992, the Honorable Prime Minister of Bangladesh, launched the National Programme of Action called PROGOTI - meaning "progress", for achieving the goals for the 1990s. Progotic Pathay (the path to progress) documents the progress made towards the achievement of these goals.

Monitoring the National Programme of Action



Bangladesh lies in the north-eastern part of South Asia. The country is bounded by India in the west, the north, and the north-east, Myanmar in the south-east and the Bay of Bengal in the south. Except for the hilly regions in the north-east and the south-east, and some areas of high lands in the north and north-western parts, the country consists of low, flat and fertile land washed by seven major rivers and over two hundred minor ones. Bangladesh has a small land mass of 56,977 square miles or 147,570 square kilometers. With a population of 111.4 million it has one of the highest population densities of 755 persons per square kilometers.

Profile of Bangladesh

The country remains poor with a per capita GNP of US \$224 and a GDP annual growth rate of 4.6%. In 1983-84 hard core poverty (defined as less than 1805 KCAL consumption per day) in the rural and urban areas were 38% and 35% respectively. However, in 1991-92, these figures were reduced to 28% and 26% respectively. While the proportion of normally nourished children was 5.5% in 1985, it increased to 6.1% in 1992. There has been a slight improvement in the prevalence of severe malnutrition for under-five year children from 9.2% in 1985-86 to 6.8% in 1992. Per-capita cereal consumption has increased both in the rural and urban areas from 507.5 gms and 448.2 gms per day in 1988-89 to 516 gms and 462.3 gms respectively in 1991-92.

The democratic government has taken a number of measures to stimulate growth in the economy. This has resulted in the reduction of the country's fiscal deficit from 7% of GDP in 1990-91 to 5.9% of GDP in 1993-94 and inflation from 9% in 1990-91 to around 1.8% in 1993-94. There is a rise of 57% in the government's contribution towards the Annual Development Programme (ADP) from the period 1990-91 to 1993-94.

According to the Labour Force Survey (LFS) of 1990-91, the labour force of the country stands at 52 million of which 20.1 million are women and 31.1 million men. Of the total employed, 66% are in the agricultural sector, 13% in the industrial sector and 21% in other sectors.

According to the 1991 census, 32% of the population in the age group of 7 years and above is literate. The adult literacy rate (15 years and above) is 44% for men and 26% for women. Though a higher proportion of children are now being enrolled in primary schools, only 44% reach completion. The pupil-teacher ratio is high with an average of 63 primary school students to a teacher in 1993.

The average life expectancy in Bangladesh in 1994 was 57.9 years for women and 58 years for men respectively. According to 1994 provisional estimates, the infant mortality rate and under five mortality rate are 77 and 134 per thousand live births. The success of the EPI programme and increased use of ORT has contributed significantly towards the improved situation for child survival. However, sustained effort is required in achieving the goals related to development and protection of women and children, such as primary school completion rates, sanitation coverage, hygienic behavior, nutrition and gender awareness.

GOALS AND ACHIEVEMENTS

| YEAR—2000 GOAL | MID-DECADE GOAL 1995 | GOALS INDICATORS | STATUS (%) | | | | | | TARGET(%) | |
|--|--|--|------------|------|------|------|------|------|-----------|------|
| | | | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1995 | 2000 |
| Mortality | | | | | | | | | | |
| Reduce infant and under-five child mortality rate to 50 and 70 per 1000 live births respectively. | | Annual number of deaths of children under-five years of age per 1000 live births. | 151 | 146 | 144 | 139 | 134 | - | - | 70 |
| | | Annual number of deaths of infants under-one years of age per 1000 births. | 94 | 92 | 88 | 84 | 77 | - | - | 50 |
| | | Annual number of deaths of women from pregnancy related causes, when pregnant or within 42 days of termination of pregnancy, per 100,000 live births. | 478 | 472 | 468 | 452 | 459 | - | - | 300 |
| Water & Sanitation | | | | | | | | | | |
| Universal access to safe drinking water | | Percentage of population using safe drinking water (tubewell, ringwell and tap) | | | | | | | | |
| | | Rural | 88 | - | - | 91 | 96 | 96 | - | - |
| | | Urban | 96 | - | - | 98 | 99 | 99 | - | - |
| | | Combined | 89 | - | - | 94 | 97 | 97 | 80 | 80 |
| Increase water supply and sanitation coverage so as to narrow the gap between the 1990 levels and universal access to safe water supply by the year-2000 by one-tenth. | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Universal access to sanitary means of excreta disposal. | Percentage of population using sanitary latrines (water-seal and pit latrines) | | | | | | | | | |
| | Rural | 16 | - | - | 33 | 30 | 44 | - | - | |
| | Urban | 40 | - | - | - | 77 | 79 | - | - | |
| | Combined | 21 | - | - | 34 | 34 | 48 | 35 | 80 | |
| Adult Literacy | | | | | | | | | | |
| Reduce adult illiteracy rate (the appropriate age group to be determined in each country) to half its 1990 level, with emphasis on female literacy. | | Percentage of population aged 15 years and older who are able, with understanding, to both read and write a short simple statement on their everyday life. | 37 | | | 41 | 42 | - | 40 | 62 |

Status 1995 reflects November 1995 survey data

GOALS AND ACHIEVEMENTS

| YEAR—2000 GOAL | MID-DECADE GOAL 1995 | GOALS INDICATORS | STATUS (%) | | | | | | TARGET(%) | |
|--|--|--|------------|------|------|------|------|------|-----------|------|
| | | | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1995 | 2000 |
| Malnutrition | | | | | | | | | | |
| Between 1990 and the year-2000, reduction of severe and moderate malnutrition among under-five children by half. | Reduction of 1990 levels of severe and moderate malnutrition by one-fifth or more. | Percentage of children 1-5 years of age with MUAC less than 12.5cm (Severe malnutrition). | 11 | - | 13 | - | 10 | 11 | 9 | 6 |
| | | Percentage of children under-five who fall below -2.99 SD to -2.00 SD from median weight for age of NCHS/WHO reference population. (Underweight, moderate). | 40 | - | 43 | - | - | - | 34 | 20 |
| | | Percentage of children under-five who fall below minus 3 standard deviations from median weight for age of NCHS/WHO reference population. (Underweight, severe). | 26 | - | 25 | - | - | - | 21 | 13 |
| | | Percentage of children under-five years of age who fall below -2.99 SD to -2.00 SD from median weight for height of NCHS/WHO reference population. (Wasting, moderate). | 13 | - | 15 | - | - | - | 10 | 7 |
| | | Percentage of children under-five years of age who fall below minus 3 standard deviations from median weight for height of NCHS/WHO reference population. (Wasting, severe). | 2 | - | 2 | - | - | - | - | 1 |
| | | Percentage of children under-five who fall below -2.99 SD to -2.00 SD from median height for age of NCHS/WHO reference population. (Stunting, moderate). | 30 | - | 31 | - | - | - | 24 | 15 |
| | | Percentage of children under-five who fall below minus 3 standard deviations from median height for age of NCHS/WHO reference population. (Stunting, severe). | 35 | - | 33 | - | - | - | 31 | 17 |

GOALS AND ACHIEVEMENTS

| YEAR—2000 GOAL | MID-DECADE GOAL 1995 | GOALS INDICATORS | STATUS (%) | | | | | | TARGET(%) | |
|---|---|---|------------|------|------|------|------|------|-----------|------|
| | | | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1995 | 2000 |
| CEDC | | Indicators under development | - | - | - | - | - | - | - | - |
| Provide improved protection for children in especially difficult circumstances and tackle the root causes leading to such situation. | | | | | | | | | | |
| Maternal Health | | | | | | | | | | |
| Access by all pregnant women to prenatal care, trained attendants during child birth and referral facilities for high-risk pregnancies and obstetric emergencies. | | Percentage of births attended by appropriately trained health personnel. | 5 | - | - | 8 | 10 | 14 | - | - |
| Family Planning | | | | | | | | | | |
| Access by all couples to information and services to prevent pregnancies that are too early, too closely spaced, too late or too many. | | Percentage of married women aged 15 to 49 currently using contraceptive methods either modern or traditional (CPR). | - | 40 | - | - | 45 | - | 50 | 69 |
| | | Average number of live births to women aged 15 to 19 years. (Fertility rate for women 15-19 per 1000). | 79 | 77 | 75 | - | 84 | - | - | - |
| Primary Education | | | | | | | | | | |
| Universal access to basic education, and achievement of primary education by at least 80 percent of primary school-age children through formal schooling or non-formal education of comparable learning standard, with emphasis on reducing the current disparities between boys and girls. | Strengthen basic education so to achieve reduction by one-third of the gap between (a) primary school enrolment and retention rates in 1990 and universal enrolment and retention in primary education of at least 80 percent of school-age children, and (b) primary school enrolment and retention rates of boys and girls in 1990. | Percentage of children entering first grade of primary school who eventually reach grade 5. | | | | | | | | |
| | | Boys | 43 | - | 45 | - | - | - | - | - |
| | | Girls | 42 | - | 43 | - | - | - | - | - |
| | | Combined | 43 | - | 44 | - | - | - | 52 | 70 |
| | | Percentage of 6-10 years children enrolled. | | | | | | | | |
| | | Boys | 80 | - | 80 | - | 83 | 82 | - | - |
| | | Girls | 79 | - | 79 | - | 81 | 82 | - | - |
| | | Combined | 80 | - | 80 | - | 81 | 82 | 82 | 95 |

Status 1995 reflects November 1995 survey data

GOALS AND ACHIEVEMENTS

| YEAR—2000 GOAL | MID-DECADE GOAL 1995 | GOALS INDICATORS | STATUS (%) | | | | | | TARGET(%) | |
|--|---|--|------------|------|------|------|------|------|-----------|------|
| | | | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1995 | 2000 |
| Nutrition | | | | | | | | | | |
| Reduction of the rate of low birth weight (less than 2.5 kg.) to less than 10 percent. | | Percentage of live births, that weigh below 2500 grams. | 30 | - | - | - | - | - | - | <10 |
| Virtual elimination of iodine deficiency disorders. | Universal iodization of salt. | Percentage of households consuming adequately iodized salt according to agreed criteria in the country. | - | - | - | 19 | 20 | 44 | 100 | 100 |
| | | Percentage of children aged 5 to 11 years with goitre of any grade (Palpable and visible combined) | - | - | - | 50 | - | - | - | 0 |
| | | Percentage of population (school age children or general population) in iodine deficient areas with urinary iodine levels below 10 micrograms/dl of urine. | - | - | - | 69 | - | - | - | <10 |
| Virtual elimination of vitamin A deficiency and its consequences, including blindness. | Virtual elimination of Vitamin A deficiency. | Percentage of children between 9-23 months of age receiving one or more doses of vitamin A in last one year. | 60 | - | - | 68 | 75 | 81* | 80 | 80 |
| Breastfeeding | | | | | | | | | | |
| Empowerment of all women to breastfeed their children exclusively for four to six months and to continue breast-feeding, with complementary food, well into the second year. | | Percentage of infants less than 4 months (120 days) of age who are exclusively breastfed. | - | - | - | - | - | - | - | 75 |
| | | Percentage of children exclusively breastfed for 5 months or more. | - | - | - | - | 41 | 2 | - | - |
| | Baby Friendly Hospital Initiative (BFHI) | | - | - | - | 3 | 48 | - | 100 | 500 |
| | Ending and preventing free and low-cost supplies of breast milk substitutes in all hospitals and maternity facilities. Having target hospitals and maternity facilities achieve "baby-friendly" status in accordance with BFHI global criteria. | Number of hospitals and maternity facilities that have been officially designated as "baby friendly" in accordance with global criteria. | | | | | | | | |

Status 1995 reflects November 1995 survey data *age range 6-59 months

GOALS AND ACHIEVEMENTS

| YEAR—2000 GOAL | MID-DECADE GOAL 1995 | GOALS INDICATORS | STATUS (%) | | | | | | TARGET(%) | |
|--|---|--|------------|------|------|------|------|------|-----------|--------|
| | | | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1995 | 2000 |
| Health (EPI) | | | | | | | | | | |
| Maintenance of a high level of immunization coverage (at least 90 percent of children under one year of age by the year-2000) against diphtheria, pertussis, tetanus, measles, poliomyelitis, tuberculosis and against tetanus for women of child-bearing age. | Elevation of immunization coverage of six antigens of the Expanded Programme on Immunization to 80% or more in all countries. | Percentage of children 12-23 months immunized against diphtheria, pertussis and tetanus (DPT 3). | 62 | 74 | 80 | 88 | 70 | 69 | 80 | 90 |
| | | Percentage of children 12-23 months immunized against measles. | 54 | 68 | 76 | 86 | 74 | 79 | 80 | 90 |
| | | Percentage of children 12-23 months immunized against poliomyelitis (OPV 3). | 62 | 74 | 80 | 88 | 70 | 69 | 80 | 90 |
| | | Percentage of children 12-23 months immunized against tuberculosis. | 86 | 89 | 92 | 96 | - | - | 80 | 90 |
| | | Percentage of pregnant women immunized against tetanus (TT-2). | 75 | 78 | 80 | 80 | - | 59 | 80 | 90 |
| | | Percentage of children protected against neonatal tetanus through immunization of their mother. | - | - | - | 73 | 68 | 78 | 80 | 90 |
| Health (CDD) | | | | | | | | | | |
| Reduction by 50 percent in the deaths due to diarrhoea in children under the age of five years and 25 percent reduction in the diarrhoea incidence rate. | Achievement of 80 percent usage of ORT (increased fluids) and continued feeding as part of the programme on control of diarrhoeal diseases. | Percentage of diarrhoea episodes in under-fives treated with oral rehydration salts (ORS) and/or recommended home fluids including water. (pre-1993 ORT definition). | 24 | - | - | 52 | 71 | 66 | 80 | 80 |
| | | Percentage of diarrhoea episodes in under-fives given increased fluids and continued feeding. (post-1993 definition). | - | - | - | - | - | - | 80 | 80 |
| | | Increased fluid | - | - | - | - | 44 | 49 | - | 80 |
| | | Continued feeding | - | - | - | - | 94 | 96 | - | 80 |
| Health (ARI) | | | | | | | | | | |
| Reduction by one-third in the deaths due to acute respiratory infections in children under five years. | | Annual number of deaths of children under-five years of age due to acute respiratory infections. | 145,000 | - | - | - | - | - | - | 48,000 |
| CRC | | | | | | | | | | |
| | Ratification of the Convention on the Rights of the Child (CRC) by all countries. | Bangladesh ratified the Convention on the Rights of the Child on August 3, 1990. | | | | | | | | |

96
ref field office

D A T A S O U R C E S

Mortality

- a. U5MR, IMR and MMR data from Report on Sample Vital Registration in Bangladesh, BBS 1981-93.
- b. Estimates for 1994 are provisional.

Water and Sanitation

- a. 1990 figure on use of safe drinking water and sanitary latrines is a UNICEF estimate.
- b. Figures for 1993, 1994 and 1995 from BBS-UNICEF Multiple Indicator Cluster Survey.

Adult Literacy

- a. Figures taken from Report on Sample Vital Registration in Bangladesh, BBS 1981-93.
- b. 1994 estimates are provisional.

Malnutrition

- a. Estimates on underweight, wasting, stunting and MUAC (1990 & 1992) taken from Child Nutrition Survey, BBS 1989/90 and 1992.
- b. MUAC figures for 1993, 1994 and 1995 from BBS-UNICEF Multiple Indicator Cluster Survey.

Maternal Health

- a. 1990 figure on percentage of births attended by trained health personnel taken from The State of the World's Children Report, 1995.
- b. Figures for 1993 to 1995 from BBS-UNICEF Multiple Indicator Cluster Survey.

Family Planning

- a. Contraceptive Prevalence Rate (CPR) for 1991 from Bangladesh Contraceptive Prevalence Survey, 1990.
- b. CPR for 1994 from Health and Demographic Survey, BBS 1993/94.
- c. Age-Specific Fertility Rate (ASFR) for 1990-1992 from Statistical Year Book, BBS 1993.
- d. ASFR for 1994 from Health and Demographic Survey, BBS 1993/94.

Primary Education

- a. 1990 and 1992 data on enrollment and completion taken from Directorate of Primary Education, Primary and Mass Education Division.
- b. 1994 and 1995 figures on enrolment from BBS-UNICEF Multiple Indicator Cluster Survey.

Nutrition

- a. Low birth weight figure for 1990 from The State of the World's Children Report, 1995.
- b. Estimates on households consuming iodized salt for 1993, 1994 and 1995 from BBS-UNICEF Multiple Indicator Cluster Survey.
- c. Percentage of children with goitre and low urinary iodine levels taken from National Iodine Deficiency Disorders Survey, 1993.
- d. Data on percentage of children receiving one or more doses of Vitamin A for 1990 taken from Institute of Public Health Nutrition Survey, figures for 1993 and 1995 taken from BBS-UNICEF Multiple Indicator Cluster Survey.

Breastfeeding

All figures on Breastfeeding taken from 1994/1995 BBS-UNICEF Multiple Indicator Cluster Survey.

Baby Friendly Hospital Initiative (BFHI)

Figures from UNICEF/Campaign for Protection and Promotion of Breastfeeding.

Expanded Programme on Immunization (EPI)

- a. Immunization figures for 1990, 1991, and 1992 derived from Coverage Evaluation Survey Report, Directorate General of Health Services.
- b. Figures for 1993, 1994 and 1995 taken from BBS-UNICEF Multiple Indicator Cluster Survey.

Control of Diarrhoeal Diseases (CDD)

- a. ORT (pre 1993) use rate for 1990 taken from UNICEF/WHO Household Survey 1991, figures for 1993, 1994 and 1995 from BBS-UNICEF Multiple Indicator Cluster Survey.
- b. Figures for increased fluid and feeding during diarrhoea taken from BBS-UNICEF Multiple Indicator Cluster Survey 1994 and 1995.

Acute Respiratory Infection (ARI)

Annual number of deaths due to ARI for 1990 is a UNICEF estimate.

Towards Achieving Year-2000 Goals : Summary of Results of Selected Indicators

| YEAR-2000 GOAL | INDICATOR USED IN MULTIPLE INDICATOR SURVEY | STATUS | | PERCENT NET CHANGE | AARC** TO ACHIEVE THE GOAL |
|--|---|--------|------|-----------------------|----------------------------------|
| | | 1994 | 1995 | | |
| Maintenance of high level of immunization coverage (at least 90% of children under 1 year of age by the year 2000) against diphtheria, pertussis, tetanus, measles, poliomyelitis, tuberculosis and against tetanus for women of child bearing age. | Proportion of children 12-23 month of age immunized against diphtheria, pertussis and tetanus. | 70 | 69 | -1 | 3 |
| | Proportion of children 12-23 month of age immunized against measles. | 74 | 79 | +5 | 3 |
| | Proportion of children 12-23 month of age immunized against polio. | 70 | 69 | -1 | 3 |
| Virtual elimination of vitamin A deficiency, and its consequences including blindness. | Percentage of children between 9-23 months of age who received one or more doses of vitamin A in the last 1 year. | 75 | 81* | +6 | - |
| Virtual elimination of iodine deficiency disorders. | Percentage of households consuming iodized salt as assessed by using starch solution. | 20 | 44 | +24 | 21 |
| Empowerment of all women to breast-feed their children exclusively for four to six months and to continue breast-feeding, with complementary food, well into the second year. | The duration of exclusive breast-feeding (1 month or more) in children who are 6-23 months of age. | 65 | 7 | -58 | 10 |
| Reduction by 50% in deaths due to diarrhoea in children under the age of 5 years and 25% reduction in the diarrhoea incidence rate. | Percentage of all cases of diarrhoea in the last 15 days that received increased amount of fluids and continued feeding. Increased fluids include all home made fluids, home available fluids, ORS and water. | | | | |
| | increased fluids | 44 | 49 | +5 | 11 |
| | continued feeding | 94 | 96 | +2 | - |
| Between 1990 and the year-2000, reduction of severe and moderate malnutrition among under-five children by half. | Percentage of children 1-5 year of age with MUAC <12.5 cm | 10 | 11 | +1 | 6 |
| Universal access to basic education, and achievement of primary education by at least 80 per cent of primary school age children through formal schooling or non-formal education of comparable learning standard, with emphasis on reducing the current disparities between boys and girls. | Percentage of 6-10 years children enroled | | | | |
| | Boys | 82 | 82 | 0 | 4 |
| | Girls | 81 | 82 | +1 | 4 |
| | Combined | 81 | 82 | +1 | 4 |
| | Percentage of enroled children who attended school in the last three working days. | 65 | 64 | -1 | 4 |
| Universal access to safe drinking water. | Percentage of people using safe drinking water (Tubewell, Ringwell and Tap) | | | | |
| | Rural | 96 | 96 | 0 | - |
| | Urban | 99 | 99 | 0 | - |
| | Combined | 97 | 97 | 0 | - |
| Universal access to sanitary means of excreta disposal. | Percentage of people using sanitary latrine (Water-seal and Pitlatrine) | | | | |
| | Rural | 30 | 44 | +17 | 7 |
| | Urban | 77 | 79 | +2 | 1 |
| | Combined | 35 | 47 | +12 | 7 |


Status 1995 reflects November 1995 survey data

*age range 6-59 months

**Annual Average Rate of Change reflects the annual percentage increase needed in the level of coverage, if the goal is to be achieved.




G R A P H S



Graphs showing the National Data


Graphs showing the National Data

Population Pyramid, 1991



Source: BBS


Mean Age at Marriage (Female)



Source: PDS & BDRS, BBS

*Provisional


Total Fertility Rate (TFR) Per Woman



Source: PDS & BDRS, BBS

*Provisional


Maternal Mortality Ratio (MMR)



Source: PDS & BDSR, BBS

*Provisional


Contraceptive Prevalence Rate (CPR)



Source: BFS, BCPS & BDHS

Note: Data not available for 1976-1982, 1984-85, 1987-88, 1990, 1992-93


Crude Birth Rate (CBR)



Source: PDS & BDSR, BBS

*Provisional


Crude Death Rate (CDR)



Source: PDS & BDSR, BBS

*Provisional


Infant Mortality Rate (IMR)



Source: PDS & BDSR, BBS
*Provisional

Note : 1989 data not available


Under-five Mortality Rate (U5MR)



Source: PDS & BDSR, BBS
*Provisional

Note : 1989 data not available


Life Expectancy at Birth



Source: PDS & BDSR, BBS

*Provisional

Adult Literacy Rate (Population Aged 15+ yrs)



Source: PDS & BDSR, BBS


*Provisional



M A P S

of
selected
indicators


DISTRIBUTION OF DISTRICTS BY OVERALL CHALLENGE FACTOR BANGLADESH, 1995




PREVALENCE OF DIARRHOEA (<5YRS CHILDREN)
WITHIN LAST 15 DAYS : 1995 (RURAL)




**CHILDREN RECEIVING VITAMIN-A IN RURAL AREAS
(6 - 59 months) : 1995**



**HOUSEHOLDS USING IODIZED SALT :
1995 (RURAL)**



6-10 YEARS BOYS ENROLLED IN
SCHOOL : 1995 (RURAL)




Source : BBS - UNICEF Multiple Indicator Cluster Survey, November 1995

6-10 YEARS GIRLS ENROLLED IN
SCHOOL : 1995 (RURAL)



Source : BBS - UNICEF Multiple Indicator Cluster Survey, November 1995


**HOUSEHOLDS WITH ACCESS TO HYGIENIC
LATRINE : 1995 (RURAL)**



HOUSEHOLDS WITH ACCESS TO SAFE DRINKING WATER : 1995 (RURAL)




**PREVALENCE OF MALNUTRITION IN RURAL AREAS
(MUAC LESS THAN 12.5 CMS IN CHILD
1-5 YEARS OF AGE) : 1995**



MEASLES VACCINATION COVERAGE IN RURAL
AREAS (CHILDREN 12-23 MONTHS OF AGE) : 1995



**ANTE-NATAL CARE DURING LAST
PREGNENCY : 1995 (RURAL)**



Source : BBS - UNICEF Multiple Indicator Cluster Survey, November 1995

T A B L E S

showing
summary
data

RESULTS OF MULTIPLE INDICATOR CLUSTER SURVEY - 1996

(all figures in percent)

| Indicator/Category | CHITTAGONG | | | | DHAKA | | | | KHULNA | | |
|--|------------|----------------|----------------------|----------------|------------|----------------|----------------------|----------------|------------|----------------------|-------|
| | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | RURAL |
| 1. Diarrhoea within last 15 days (among <5 years child) | | | | | | | | | | | |
| Boy | 17.7 | 11.5 | 16.0 | 21.6 | 30.9 | 7.3 | 7.7 | 11.7 | 7.4 | 5.9 | 11.5 |
| Girl | 23.4 | 4.8 | 14.6 | 20.4 | 26.5 | 13.2 | 4.2 | 10.7 | 13.6 | 7.9 | 12.0 |
| 2a. Amount of liquid given to that child (Boy)** | | | | | | | | | | | |
| More | 72.7 | 78.6 | 71.4 | 53.2 | 46.8 | 75.0 | 33.3 | 38.2 | 62.5 | 77.8 | 40.8 |
| Same | 12.1 | 14.3 | 25.0 | 25.5 | 40.4 | 12.5 | 55.6 | 30.6 | 12.5 | 0.0 | 30.8 |
| Less | 12.1 | 7.1 | 3.6 | 18.3 | 10.6 | 12.5 | 0.0 | 27.6 | 25.0 | 22.0 | 23.6 |
| No | 3.0 | 0.0 | 0.0 | 2.9 | 2.1 | 0.0 | 11.1 | 3.7 | 0.0 | 0.0 | 4.9 |
| 2b. Amount of liquid given to that child (Girl) ** | | | | | | | | | | | |
| More | 72.7 | 42.9 | 79.2 | 54.3 | 38.5 | 33.3 | 25.0 | 29.4 | 64.3 | 40.0 | 36.3 |
| Same | 6.1 | 42.9 | 20.8 | 23.6 | 51.3 | 20.0 | 75.0 | 44.8 | 21.4 | 30.0 | 33.9 |
| Less | 18.2 | 14.3 | 0.0 | 18.6 | 10.3 | 40.0 | 0.0 | 22.7 | 14.3 | 20.0 | 25.6 |
| No | 3.0 | 0.0 | 0.0 | 3.5 | 0.0 | 6.7 | 0.0 | 3.1 | 0.0 | 10.0 | 4.3 |
| 3a. Amount of usual food given to that child (Boy) ** | | | | | | | | | | | |
| More | 3.0 | 7.1 | 3.6 | 9.6 | 4.3 | 12.5 | 22.2 | 7.0 | 0.0 | 25.0 | 12.3 |
| Same | 24.2 | 35.7 | 25.0 | 34.3 | 42.6 | 62.5 | 66.7 | 46.0 | 25.0 | 37.5 | 35.1 |
| Less | 66.7 | 42.9 | 67.9 | 52.0 | 42.6 | 25.0 | 0.0 | 44.9 | 75.0 | 50.0 | 50.4 |
| No | 6.1 | 14.3 | 3.6 | 4.2 | 10.6 | 0.0 | 11.1 | 2.2 | 0.0 | 0.0 | 2.3 |
| 3b. Amount of usual food given to that child (Girl) ** | | | | | | | | | | | |
| More | 0.0 | 16.7 | 16.7 | 8.9 | 2.6 | 6.7 | 0.0 | 9.6 | 14.3 | 10.0 | 8.0 |
| Same | 21.2 | 50.0 | 45.8 | 31.9 | 46.2 | 33.3 | 50.0 | 44.8 | 50.0 | 10.0 | 31.2 |
| Less | 75.8 | 33.3 | 33.3 | 57.7 | 46.2 | 46.7 | 50.0 | 36.4 | 35.7 | 70.0 | 53.4 |
| No | 3.0 | 0.0 | 4.2 | 1.5 | 5.1 | 13.3 | 0.0 | 9.2 | 0.0 | 10.0 | 7.4 |
| 4a. Type of treatment for the child (Boy) (Multiple answer) ** | | | | | | | | | | | |
| ORS | 72.7 | 86.7 | 82.1 | 55.0 | 59.6 | 75.0 | 77.8 | 46.8 | 62.5 | 75.0 | 30.2 |
| ORT | 66.7 | 86.7 | 82.1 | 61.0 | 63.8 | 62.5 | 88.9 | 66.1 | 62.5 | 75.0 | 42.3 |
| Medicine | 15.2 | 33.3 | 42.9 | 48.2 | 23.4 | 12.5 | 11.1 | 35.6 | 0.0 | 37.5 | 38.5 |
| None | 15.2 | 0.0 | 0.0 | 13.2 | 27.7 | 12.5 | 0.0 | 14.5 | 25.0 | 12.5 | 21.1 |
| 4b. Type of treatment for the child (Girl) (Multiple answer) ** | | | | | | | | | | | |
| ORS | 75.8 | 100.0 | 70.8 | 53.4 | 59.0 | 66.7 | 100.0 | 53.6 | 71.4 | 30.0 | 36.0 |
| ORT | 90.9 | 100.0 | 91.7 | 62.6 | 64.1 | 66.7 | 100.0 | 67.0 | 71.4 | 30.0 | 41.6 |
| Medicine | 15.2 | 33.3 | 33.3 | 45.3 | 15.4 | 13.3 | 50.0 | 34.4 | 28.6 | 60.0 | 31.8 |
| None | 15.2 | 0.0 | 4.2 | 12.9 | 30.8 | 6.7 | 0.0 | 15.3 | 14.3 | 20.0 | 31.6 |

* Urban areas are defined here as the areas under municipalities or metrocities

** Not precise below divisional levels

| BARISAL | | RAJSHAHI | | | NATIONAL | | | | | Indicator/Category |
|---|-------------------|---------------|-------------------------|-------------------|-----------------|-------------------------|---------------|--------------|------|--------------------|
| MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITIES | OTHER MUNICIPALITIES | ALL URBAN* | ALL RURAL | ALL | |
| Diarrhoea within last 15 days (among<5 years child) | | | | | | | | | | |
| 11.4 | 14.5 | 5.2 | 14.3 | 11.9 | 11.1 | 11.0 | 11.1 | 14.5 | 14.2 | Boy |
| 11.7 | 15.0 | 10.4 | 17.9 | 10.8 | 13.4 | 11.0 | 12.2 | 13.7 | 13.6 | Girl |
| Amount of liquid given to that child (Boy) | | | | | | | | | | |
| 15.4 | 26.0 | 100.0 | 68.4 | 74.0 | 72.1 | 55.2 | 63.0 | 50.3 | 51.6 | More |
| 38.5 | 41.9 | 0.0 | 21.1 | 11.8 | 15.4 | 31.1 | 23.2 | 25.5 | 25.3 | Same |
| 46.2 | 26.9 | 0.0 | 0.0 | 11.2 | 12.1 | 7.0 | 10.3 | 20.6 | 19.6 | Less |
| 0.0 | 5.2 | 0.0 | 10.5 | 3.0 | 0.4 | 6.7 | 3.4 | 3.6 | 3.6 | No |
| Amount of liquid given to that child (Girl) | | | | | | | | | | |
| 38.5 | 32.0 | 28.6 | 62.5 | 72.1 | 40.8 | 48.2 | 44.7 | 47.4 | 47.1 | More |
| 38.5 | 35.2 | 14.3 | 20.8 | 11.2 | 27.4 | 41.0 | 34.4 | 29.0 | 29.5 | Same |
| 23.0 | 29.4 | 57.1 | 8.3 | 12.1 | 28.4 | 6.9 | 17.2 | 19.8 | 19.5 | Less |
| 0.0 | 3.4 | 0.0 | 8.3 | 4.9 | 3.4 | 3.9 | 3.6 | 3.8 | 3.8 | No |
| Amount of usual food given to that child (Boy) | | | | | | | | | | |
| 15.4 | 5.0 | 50.0 | 10.5 | 25.6 | 10.4 | 15.6 | 12.3 | 12.6 | 12.6 | More |
| 30.8 | 35.4 | 0.0 | 63.2 | 51.9 | 46.0 | 52.1 | 49.2 | 42.4 | 43.1 | Same |
| 53.8 | 57.1 | 50.0 | 15.8 | 20.6 | 39.3 | 26.9 | 32.8 | 42.3 | 41.4 | Less |
| 0.0 | 2.7 | 0.0 | 10.5 | 1.9 | 4.3 | 7.3 | 5.7 | 2.7 | 3.0 | No |
| Amount of usual food given to that child (Girl) | | | | | | | | | | |
| 7.7 | 6.5 | 28.6 | 4.2 | 25.6 | 9.9 | 6.0 | 7.6 | 12.9 | 12.4 | More |
| 38.5 | 25.4 | 14.3 | 79.2 | 49.2 | 38.7 | 51.3 | 45.6 | 39.6 | 40.2 | Same |
| 53.8 | 58.2 | 57.1 | 12.5 | 21.3 | 44.3 | 39.3 | 41.3 | 41.7 | 41.7 | Less |
| 0.0 | 10.3 | 0.0 | 4.2 | 3.9 | 7.1 | 3.4 | 5.4 | 5.8 | 5.8 | No |
| Type of treatment for the child (Boy) (Multiple answer) | | | | | | | | | | |
| 69.2 | 29.7 | 40.0 | 80.0 | 71.9 | 72.3 | 78.2 | 75.2 | 52.2 | 54.5 | ORS |
| 69.2 | 41.3 | 40.0 | 80.0 | 85.4 | 66.5 | 81.8 | 73.9 | 65.2 | 66.1 | ORT |
| 23.1 | 35.8 | 0.0 | 70.0 | 50.8 | 15.9 | 38.4 | 26.8 | 43.2 | 41.6 | Mdicine |
| 15.4 | 29.4 | 0.0 | 0.0 | 4.2 | 12.8 | 2.9 | 8.0 | 13.6 | 13.0 | None |
| Type of treatment for the child (Girl) (Multiple answer) | | | | | | | | | | |
| 33.3 | 28.5 | 45.5 | 66.7 | 68.1 | 72.3 | 70.6 | 71.5 | 53.6 | 55.4 | ORS |
| 46.7 | 37.6 | 45.5 | 75.0 | 81.3 | 73.5 | 77.5 | 75.4 | 64.5 | 65.7 | ORT |
| 26.7 | 29.7 | 36.4 | 50.0 | 38.3 | 20.5 | 47.1 | 33.3 | 37.8 | 37.4 | Medicine |
| 20.0 | 35.8 | 18.2 | 16.7 | 7.3 | 9.9 | 9.9 | 9.9 | 16.2 | 15.6 | None |

RESULTS OF MULTIPLE INDICATOR CLUSTER SURVEY - 1996

(all figures in percent)

| Indicator/Category | CHITTAGONG | | | | DHAKA | | | | KHULNA | | |
|---|------------|----------------|----------------------|----------------|------------|----------------|----------------------|----------------|------------|----------------------|----------------|
| | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL |
| 5a. Treatment by (Boy) (Multiple answer) ** | | | | | | | | | | | |
| Health Centre* | 32.1 | 40.0 | 21.4 | 10.6 | 29.4 | 42.9 | 22.2 | 10.8 | 0.0 | 28.6 | 15.4 |
| FWA / HA | 0.0 | 6.7 | 10.7 | 8.5 | 2.9 | 14.3 | 0.0 | 4.8 | 0.0 | 0.0 | 1.9 |
| Unqualified Practitioner | 14.3 | 6.7 | 42.9 | 48.9 | 2.9 | 14.3 | 11.1 | 41.6 | 0.0 | 28.6 | 51.9 |
| Self + Other | 53.5 | 53.3 | 35.7 | 37.4 | 61.7 | 42.9 | 77.8 | 56.3 | 100.0 | 42.8 | 25.0 |
| 5b. Treatment by (Girl) (Multiple answer) ** | | | | | | | | | | | |
| Health Centre* | 25.0 | 33.3 | 4.3 | 7.3 | 29.6 | 28.6 | 50.0 | 8.0 | 25.0 | 25.0 | 11.8 |
| FWA / HA | 3.6 | 16.7 | 13.0 | 8.2 | 7.4 | 7.1 | 0.0 | 3.8 | 0.0 | 12.5 | 7.5 |
| Unqualified Practitioner | 21.4 | 0.0 | 26.1 | 49.2 | 0.0 | 7.1 | 25.0 | 44.3 | 8.3 | 50.0 | 49.5 |
| Self + Other | 60.7 | 66.7 | 65.1 | 40.0 | 70.3 | 64.3 | 75.0 | 50.0 | 66.6 | 12.5 | 29.1 |
| 6a. Duration of continued breastfeeding (1-5 years Boy) | | | | | | | | | | | |
| 0 month | 0.7 | 4.7 | 2.1 | 0.5 | 0.8 | 3.8 | 3.3 | 2.3 | 4.5 | 1.7 | 1.4 |
| 1-6 months | 2.7 | 7.5 | 1.4 | 0.7 | 0.8 | 5.1 | 6.5 | 0.4 | 9.0 | 4.3 | 1.9 |
| 7-12 months | 10.8 | 2.8 | 6.2 | 4.1 | 4.0 | 5.1 | 12.0 | 4.4 | 6.7 | 1.7 | 3.8 |
| 13+ months | 85.8 | 85.0 | 90.3 | 94.8 | 94.4 | 86.0 | 78.2 | 92.9 | 79.8 | 92.3 | 92.9 |
| 6b. Duration of continued breastfeeding (1-5 years Girl) | | | | | | | | | | | |
| 0 month | 0.8 | 4.9 | 1.5 | 0.4 | 0.8 | 5.4 | 1.3 | 1.9 | 0.0 | 3.8 | 0.2 |
| 1-6 months | 3.3 | 9.8 | 2.2 | 0.8 | 4.2 | 13.5 | 11.3 | 0.9 | 6.1 | 5.7 | 1.5 |
| 7-12 months | 12.2 | 7.8 | 8.8 | 5.8 | 4.2 | 6.8 | 5.0 | 3.9 | 4.9 | 3.8 | 2.3 |
| 13+ months | 83.7 | 77.5 | 87.5 | 93.1 | 90.8 | 74.3 | 82.4 | 93.3 | 89.0 | 86.7 | 96.0 |
| 7a. Period of exclusive breastfeeding (6-23 months Boy) | | | | | | | | | | | |
| 0 month | 96.5 | 100.0 | 96.2 | 92.6 | 64.1 | 92.9 | 92.3 | 88.8 | 100.0 | 86.4 | 98.5 |
| 1-4 months | 1.7 | 0.0 | 0.0 | 5.1 | 20.5 | 3.6 | 7.7 | 9.3 | 0.0 | 8.1 | 1.0 |
| 5+ months | 1.7 | 0.0 | 3.8 | 2.2 | 15.4 | 3.6 | 0.0 | 1.9 | 0.0 | 5.4 | 0.5 |
| 7b. Period of exclusive breastfeeding (6-23 months Girl) | | | | | | | | | | | |
| 0 month | 100.0 | 100.0 | 100.0 | 89.8 | 65.0 | 90.3 | 92.3 | 90.2 | 97.8 | 97.3 | 96.8 |
| 1-4 months | 0.0 | 0.0 | 0.0 | 7.5 | 10.0 | 6.5 | 6.6 | 8.7 | 0.0 | 0.0 | 0.8 |
| 5+ months | 0.0 | 0.0 | 0.0 | 2.7 | 25.0 | 3.2 | 0.0 | 1.2 | 2.2 | 2.7 | 2.4 |
| 8a. Vitamin A capsule during last one year (6-59 months Boy) | | | | | | | | | | | |
| 0 | 39.2 | 30.3 | 28.3 | 25.5 | 33.1 | 37.1 | 12.0 | 20.4 | 13.4 | 10.2 | 7.5 |
| 1 | 48.5 | 41.0 | 37.7 | 36.3 | 36.0 | 24.7 | 20.4 | 32.5 | 34.0 | 27.1 | 28.4 |
| 2 | 9.9 | 20.5 | 25.2 | 26.8 | 26.5 | 17.5 | 47.2 | 32.8 | 38.1 | 49.1 | 45.4 |
| 3 | 2.3 | 8.2 | 8.8 | 11.3 | 4.4 | 20.6 | 20.4 | 14.3 | 14.4 | 13.6 | 18.7 |

* Health Centre also include Qualified Doctors

| BARISAL | | RAJSHAHI | | | NATIONAL | | | | | Indicator/Category |
|--|-------------------|---------------|-------------------------|-------------------|-----------------|-------------------------|--------------|--------------|------|--------------------------|
| MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITIES | OTHER MUNICIPALITIES | ALL URBAN | ALL RURAL | ALL | |
| Treatment by (Boy) (Multiple answer) | | | | | | | | | | |
| 36.4 | 14.0 | 0.0 | 15.0 | 10.0 | 33.2 | 21.8 | 26.5 | 11.2 | 12.7 | Health Centre* |
| 0.0 | 2.2 | 100.0 | 35.0 | 8.8 | 13.2 | 12.1 | 8.8 | 6.8 | 7.0 | FWA / HA |
| 9.1 | 45.2 | 0.0 | 30.0 | 40.0 | 9.1 | 24.3 | 17.1 | 44.7 | 41.9 | Unqualified Practitioner |
| 54.5 | 41.9 | 0.0 | 35.0 | 44.8 | 52.3 | 51.5 | 50.6 | 41.8 | 42.7 | Self + Other |
| Treatment by (Girl) (Multiple answer) | | | | | | | | | | |
| 33.3 | 10.6 | 20.0 | 0.0 | 8.7 | 28.7 | 22.9 | 20.2 | 8.4 | 9.6 | Health Centre* |
| 0.0 | 0.0 | 0.0 | 30.0 | 10.4 | 7.7 | 12.9 | 9.2 | 7.1 | 7.3 | FWA / HA |
| 33.3 | 40.0 | 40.0 | 50.0 | 42.6 | 7.1 | 36.7 | 20.9 | 46.2 | 43.7 | Unqualified Practitioner |
| 33.3 | 51.8 | 40.0 | 45.0 | 39.5 | 64.4 | 52.6 | 55.7 | 41.9 | 43.3 | Self + Other |
| Duration of continued breastfeeding (1-5 years Boy) | | | | | | | | | | |
| 3.6 | 1.0 | 0.0 | 3.4 | 0.5 | 3.4 | 22.9 | 3.2 | 1.2 | 1.4 | 0 month |
| 2.4 | 1.2 | 0.0 | 5.0 | 1.5 | 5.2 | 4.6 | 4.9 | 1.0 | 1.4 | 1-6 months |
| 9.5 | 2.5 | 3.8 | 5.9 | 5.0 | 4.9 | 7.6 | 6.2 | 4.3 | 4.5 | 7-12 months |
| 84.5 | 95.4 | 96.2 | 85.7 | 92.9 | 86.5 | 84.9 | 85.7 | 93.6 | 92.8 | 13+ months |
| Duration of continued breastfeeding (1-5 years Girl) | | | | | | | | | | |
| 5.0 | 0.8 | 0.0 | 2.8 | 0.9 | 3.7 | 2.4 | 3.1 | 1.0 | 1.2 | 0 month |
| 5.0 | 0.6 | 1.2 | 0.0 | 0.9 | 9.8 | 5.2 | 7.6 | 0.9 | 1.6 | 1-6 months |
| 6.9 | 2.3 | 7.0 | 4.6 | 5.5 | 6.7 | 5.5 | 6.1 | 4.5 | 4.7 | 7-12 months |
| 83.1 | 96.3 | 91.8 | 92.6 | 92.7 | 79.8 | 86.9 | 83.2 | 93.6 | 92.6 | 13+ months |
| Period of exclusive breastfeeding (6-23 months Boy) | | | | | | | | | | |
| 94.1 | 96.8 | 92.3 | 95.5 | 95.5 | 92.0 | 93.2 | 92.6 | 93.3 | 93.2 | 0 month |
| 0.0 | 0.9 | 0.0 | 2.3 | 2.5 | 4.1 | 4.4 | 4.2 | 4.9 | 4.8 | 1-4 months |
| 5.9 | 2.3 | 7.7 | 2.3 | 2.0 | 3.9 | 2.5 | 3.2 | 1.9 | 2.0 | 5+ months |
| Period of exclusive breastfeeding (6-23 months Girl) | | | | | | | | | | |
| 91.4 | 98.8 | 97.1 | 100.0 | 93.6 | 91.0 | 96.5 | 93.6 | 93.1 | 93.2 | 0 month |
| 2.9 | 0.0 | 0.0 | 0.0 | 4.0 | 4.3 | 2.7 | 3.5 | 4.9 | 4.7 | 1-4 months |
| 5.7 | 1.2 | 2.9 | 0.0 | 2.4 | 4.8 | 0.8 | 2.8 | 2.0 | 2.1 | 5+ months |
| Vitamin A capsule during last one year (6-59 months Boy) | | | | | | | | | | |
| 14.3 | 17.4 | 9.3 | 18.6 | 10.8 | 31.2 | 16.6 | 24.1 | 17.7 | 18.3 | 0 |
| 20.4 | 22.3 | 7.0 | 37.2 | 32.8 | 30.4 | 29.2 | 29.9 | 32.4 | 32.2 | 1 |
| 39.8 | 39.8 | 14.0 | 34.1 | 45.4 | 21.1 | 39.4 | 30.0 | 36.3 | 35.7 | 2 |
| 25.5 | 20.5 | 69.7 | 10.1 | 11.1 | 17.1 | 14.8 | 15.9 | 13.7 | 13.9 | 3 |

RESULTS OF MULTIPLE INDICATOR CLUSTER SURVEY - 1996

(all figures in percent)

| Indicator/Category | CHITTAGONG | | | | DHAKA | | | | KHULNA | | |
|--|------------|----------------|----------------------|----------------|------------|----------------|----------------------|----------------|------------|----------------------|----------------|
| | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL |
| 8b. Vitamin A capsule during last one year (6-59 months Girl) | | | | | | | | | | | |
| 0 | 39.2 | 29.6 | 25.0 | 25.7 | 31.1 | 33.7 | 9.8 | 24.0 | 20.2 | 8.9 | 6.6 |
| 1 | 46.7 | 46.1 | 35.7 | 38.1 | 30.4 | 23.2 | 20.7 | 30.2 | 21.3 | 25.9 | 28.5 |
| 2 | 10.4 | 20.9 | 27.1 | 24.9 | 30.4 | 33.7 | 48.8 | 31.4 | 39.3 | 52.7 | 41.0 |
| 3 | 3.7 | 3.4 | 12.1 | 11.3 | 8.1 | 9.4 | 20.7 | 14.4 | 19.1 | 12.5 | 22.6 |
| 9. DPT/Polio doses given (12-23 months children both sex) | | | | | | | | | | | |
| 0 | 20.0 | 4.5 | 4.8 | 17.6 | 9.8 | 6.1 | 0.0 | 13.1 | 2.6 | 4.5 | 3.4 |
| 1-2 | 33.3 | 13.6 | 40.3 | 29.1 | 31.4 | 30.3 | 17.6 | 27.6 | 15.3 | 27.3 | 10.9 |
| 3 | 46.7 | 81.8 | 54.8 | 53.3 | 58.8 | 63.6 | 82.4 | 59.4 | 82.1 | 68.2 | 85.7 |
| 10. Measles vaccines taken by 12-23 months children (Both sex) | | | | | | | | | | | |
| | 61.0 | 93.2 | 83.9 | 69.7 | 62.0 | 90.9 | 97.1 | 75.6 | 84.2 | 86.0 | 88.7 |
| 11. Mid upper arm circumference 12-59 months (< 12.5 cm) | | | | | | | | | | | |
| Boy | 14.2 | 0.0 | 12.3 | 12.4 | 5.1 | 10.3 | 4.3 | 8.8 | 1.2 | 2.0 | 3.7 |
| Girl | 22.9 | 7.4 | 16.2 | 19.6 | 11.7 | 6.4 | 1.4 | 10.5 | 6.5 | 8.6 | 7.2 |
| 12. Enrolled (Among 6-10 years) | | | | | | | | | | | |
| Boy | 39.8 | 84.4 | 82.4 | 81.9 | 55.1 | 80.1 | 84.7 | 79.6 | 91.3 | 86.4 | 84.6 |
| Girl | 39.1 | 86.9 | 85.1 | 79.8 | 50.0 | 75.9 | 90.0 | 81.3 | 85.3 | 89.0 | 88.1 |
| 13a. Attendance in last 3 days (Boys) | | | | | | | | | | | |
| 0 | 19.7 | 6.7 | 7.3 | 13.7 | 10.3 | 14.6 | 2.6 | 6.8 | 8.0 | 10.6 | 12.0 |
| 1 | 4.0 | 3.0 | 6.7 | 5.7 | 7.2 | 3.1 | 0.0 | 8.1 | 5.8 | 2.3 | 5.4 |
| 2 | 17.1 | 14.1 | 16.4 | 19.8 | 18.6 | 10.0 | 10.3 | 26.6 | 6.6 | 12.9 | 13.3 |
| 3 | 59.2 | 76.3 | 69.7 | 60.9 | 63.9 | 72.3 | 87.1 | 58.5 | 79.6 | 74.2 | 69.3 |
| 13b. Attendance in last 3 days (Girl) | | | | | | | | | | | |
| 0 | 12.1 | 10.2 | 6.8 | 15.4 | 10.5 | 20.4 | 2.4 | 6.5 | 4.6 | 2.3 | 11.0 |
| 1 | 0.0 | 2.6 | 6.8 | 5.7 | 5.3 | 2.9 | 0.0 | 6.8 | 3.1 | 6.9 | 3.8 |
| 2 | 6.1 | 7.0 | 14.2 | 20.8 | 23.7 | 12.6 | 8.7 | 26.7 | 7.0 | 10.8 | 11.9 |
| 3 | 81.8 | 80.3 | 72.2 | 58.1 | 60.5 | 64.1 | 88.9 | 60.0 | 85.3 | 80.0 | 73.4 |

| BARISAL | | RAJSHAHI | | | NATIONAL | | | | | Indicator/Category |
|---|-------------------|---------------|-------------------------|-------------------|-----------------|-------------------------|--------------|--------------|------|--------------------|
| MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITIES | OTHER MUNICIPALITIES | ALL URBAN | ALL RURAL | ALL | |
| Vitamin A capsule during last one year (6-59 months-Girl) | | | | | | | | | | |
| 12.3 | 17.8 | 9.3 | 22.4 | 10.2 | 30.1 | 16.1 | 23.3 | 18.6 | 19.1 | 0 |
| 13.2 | 20.2 | 10.3 | 38.8 | 32.8 | 28.6 | 28.8 | 28.8 | 32.0 | 31.7 | 1 |
| 35.1 | 41.8 | 15.5 | 29.3 | 44.4 | 29.7 | 39.1 | 34.0 | 34.8 | 34.7 | 2 |
| 39.4 | 20.2 | 64.9 | 9.5 | 12.6 | 11.6 | 16.1 | 13.8 | 14.5 | 14.4 | 3 |
| DPT/Polio doses given (12-23 months children Both sex) | | | | | | | | | | |
| 0.0 | 10.5 | 5.7 | 7.3 | 2.8 | 6.3 | 3.6 | 5.1 | 10.4 | 9.9 | 0 |
| 2.6 | 16.4 | 11.4 | 16.5 | 12.5 | 24.6 | 21.4 | 23.1 | 21.5 | 21.7 | 1-2 |
| 97.4 | 73.1 | 82.9 | 76.4 | 84.6 | 69.1 | 75.0 | 71.8 | 68.1 | 68.5 | 3 |
| Measles vaccines taken by 12-23 months children (Both sex) | | | | | | | | | | |
| 34.9 | 79.6 | 91.4 | 85.5 | 85.4 | 86.1 | 85.6 | 87.9 | 78.4 | 79.4 | |
| Mid upper arm circumference 12-59 months (< 12.5 cm) | | | | | | | | | | |
| 9.6 | 9.9 | 11.8 | 6.9 | 7.5 | 6.8 | 6.4 | 6.6 | 8.9 | 8.7 | Boy |
| 5.6 | 13.9 | 13.2 | 11.7 | 11.3 | 8.2 | 8.2 | 8.2 | 12.9 | 12.4 | Girl |
| Enrolled (Among 6-10 years) | | | | | | | | | | |
| 88.0 | 86.7 | 85.1 | 76.8 | 82.0 | 78.1 | 82.5 | 80.2 | 81.9 | 81.7 | Boy |
| 90.3 | 86.6 | 86.4 | 77.3 | 82.4 | 75.3 | 85.3 | 80.1 | 82.4 | 82.2 | Girl |
| Attendance in last 3 days (Boys) | | | | | | | | | | |
| 10.8 | 8.0 | 6.0 | 2.8 | 10.0 | 11.6 | 5.2 | 8.5 | 10.0 | 9.9 | 0 |
| 5.4 | 8.3 | 2.0 | 4.1 | 6.6 | 3.9 | 3.0 | 3.5 | 6.8 | 6.5 | 1 |
| 25.4 | 23.1 | 3.3 | 19.3 | 17.6 | 11.3 | 15.4 | 13.3 | 20.8 | 20.1 | 2 |
| 58.5 | 60.5 | 88.7 | 73.8 | 67.2 | 73.3 | 76.5 | 74.8 | 62.4 | 63.6 | 3 |
| Attendance in last 3 days (Girl) | | | | | | | | | | |
| 5.9 | 7.8 | 3.6 | 2.2 | 7.4 | 14.3 | 3.3 | 9.4 | 9.7 | 9.7 | 0 |
| 5.0 | 6.8 | 2.2 | 3.7 | 6.5 | 3.0 | 3.6 | 3.2 | 6.1 | 5.8 | 1 |
| 14.9 | 21.1 | 6.5 | 17.9 | 16.6 | 11.5 | 13.1 | 12.3 | 20.5 | 19.7 | 2 |
| 74.3 | 64.3 | 87.7 | 76.1 | 70.2 | 71.2 | 80.1 | 75.1 | 63.7 | 64.8 | 3 |

RESULTS OF MULTIPLE INDICATOR CLUSTER SURVEY - 1996

(all figures in percent)

| Indicator/Category | CHITTAGONG | | | | DHAKA | | | | KHULNA | | |
|---|------------|----------------|----------------------|----------------|------------|----------------|----------------------|----------------|------------|----------------------|----------------|
| | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL |
| 14. Place of delivery | | | | | | | | | | | |
| Health Centre | 3.5 | 46.1 | 19.4 | 2.4 | 4.0 | 40.2 | 45.7 | 1.9 | 19.5 | 21.0 | 4.5 |
| Home Delivery | 96.5 | 53.9 | 80.6 | 97.6 | 96.0 | 59.8 | 54.3 | 98.1 | 80.5 | 79.0 | 95.5 |
| 15. Delivered by | | | | | | | | | | | |
| Trained Person | 29.6 | 79.6 | 38.3 | 10.4 | 13.7 | 45.0 | 50.6 | 7.6 | 42.0 | 40.4 | 17.3 |
| Untrained Person | 70.4 | 20.4 | 61.7 | 89.6 | 86.3 | 55.0 | 49.4 | 92.4 | 58.0 | 59.6 | 82.7 |
| 16. Doses of TT during last pregnancy | | | | | | | | | | | |
| 0 | 32.6 | 10.7 | 15.3 | 30.1 | 25.0 | 37.8 | 6.2 | 22.0 | 15.0 | 10.6 | 15.2 |
| 1 | 14.2 | 17.5 | 18.5 | 17.7 | 21.0 | 11.8 | 1.2 | 18.1 | 15.0 | 16.3 | 21.6 |
| 2 or more | 53.2 | 71.8 | 66.1 | 52.5 | 54.0 | 50.4 | 92.6 | 60.0 | 70.0 | 73.1 | 63.3 |
| 17. Ante-Natal Care during last pregnancy | | | | | | | | | | | |
| | 18.3 | 74.8 | 37.1 | 22.8 | 17.7 | 34.5 | 49.4 | 18.9 | 52.5 | 37.0 | 14.3 |
| 18. Mothers' awareness of ARI | | | | | | | | | | | |
| | 52.8 | 58.5 | 63.4 | 60.3 | 52.8 | 62.7 | 70.9 | 44.4 | 57.9 | 49.1 | 45.1 |
| 19. When to seek help for ARI (aware mothers) | | | | | | | | | | | |
| Fast breathing | 43.9 | 63.5 | 56.7 | 47.0 | 46.9 | 68.8 | 76.6 | 48.3 | 8.8 | 21.5 | 16.4 |
| Difficult breathing | 39.7 | 27.1 | 29.9 | 38.7 | 39.5 | 26.2 | 19.1 | 41.2 | 47.9 | 58.5 | 67.7 |
| Don't Know | 16.4 | 9.4 | 13.4 | 14.8 | 13.6 | 5.0 | 4.3 | 10.8 | 43.3 | 19.9 | 15.9 |
| 20. Source of drinking water | | | | | | | | | | | |
| Tubewell | 56.0 | 48.4 | 90.6 | 91.8 | 24.9 | 22.2 | 84.5 | 99.3 | 98.5 | 88.0 | 84.3 |
| Tap | 39.2 | 55.2 | 10.5 | 0.6 | 76.5 | 78.4 | 17.3 | 0.0 | 2.4 | 5.6 | 0.5 |
| Ringwell | 0.5 | 0.0 | 0.2 | 3.7 | 0.0 | 0.0 | 3.1 | 0.9 | 0.0 | 0.0 | 0.1 |
| Other | 5.9 | 0.2 | 0.9 | 6.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 7.4 | 10.1 |
| 21. Source of water for household work (Multiple answer) | | | | | | | | | | | |
| Tubewell | 54.6 | 35.9 | 43.6 | 28.5 | 24.0 | 22.0 | 76.7 | 75.2 | 41.3 | 63.8 | 56.3 |
| Tap | 35.3 | 60.1 | 21.9 | 0.8 | 74.0 | 78.4 | 21.4 | 0.3 | 33.1 | 17.6 | 0.3 |
| Ringwell | 0.5 | 0.2 | 1.6 | 4.6 | 3.2 | 0.0 | 5.2 | 4.7 | 0.0 | 1.7 | 1.9 |
| Other | 14.1 | 21.5 | 54.1 | 83.0 | 0.0 | 0.4 | 9.9 | 47.5 | 47.0 | 34.9 | 60.2 |


| BARISAL | | RAJSHAHI | | | NATIONAL | | | | | Indicator/Category |
|----------------|-------------------|---------------|-------------------------|-------------------|-----------------|-------------------------|--------------|--------------|------|---|
| MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITIES | OTHER MUNICIPALITIES | ALL URBAN | ALL RURAL | ALL | |
| | | | | | | | | | | Place of delivery |
| 20.8 | 1.7 | 21.9 | 10.3 | 2.2 | 32.5 | 25.6 | 28.9 | 2.4 | 5.1 | Health Centre |
| 79.2 | 98.3 | 78.1 | 89.7 | 97.9 | 67.5 | 74.4 | 71.2 | 97.6 | 95.0 | Home Delivery |
| | | | | | | | | | | Delivered by |
| 46.3 | 11.7 | 21.7 | 31.1 | 10.2 | 46.2 | 41.0 | 43.8 | 10.4 | 13.7 | Trained Person |
| 53.7 | 88.3 | 78.3 | 68.9 | 89.8 | 53.8 | 59.0 | 56.2 | 89.6 | 86.3 | Untrained Person |
| | | | | | | | | | | Doses of TT during last pregnancy |
| 7.5 | 30.0 | 9.7 | 13.3 | 17.4 | 26.7 | 10.5 | 19.5 | 22.7 | 22.4 | 0 |
| 16.0 | 14.6 | 9.7 | 8.6 | 21.2 | 14.3 | 9.5 | 12.0 | 18.9 | 18.2 | 1 |
| 76.4 | 55.4 | 80.6 | 78.1 | 61.4 | 58.9 | 80.0 | 68.5 | 58.4 | 59.4 | 2 or more |
| | | | | | | | | | | Ante-Natal Care during last pregnancy |
| 49.1 | 19.8 | 5.6 | 43.8 | 23.1 | 40.7 | 43.9 | 42.9 | 20.5 | 22.7 | |
| | | | | | | | | | | Mothers' awareness of ARI |
| 37.3 | 27.7 | 54.7 | 90.3 | 79.1 | 59.4 | 69.9 | 63.8 | 56.0 | 56.8 | |
| | | | | | | | | | | When to seek help for ARI (aware mothers) |
| 26.6 | 27.6 | 78.9 | 48.6 | 41.4 | 57.6 | 53.6 | 55.4 | 41.2 | 42.6 | Fast breathing |
| 63.9 | 48.5 | 17.2 | 50.5 | 54.8 | 30.6 | 38.9 | 34.7 | 47.6 | 46.3 | Difficult breathing |
| 9.5 | 23.8 | 3.9 | 0.9 | 3.8 | 11.8 | 7.4 | 9.9 | 11.6 | 11.4 | Don't Know |
| | | | | | | | | | | Source of drinking water |
| 84.4 | 94.0 | 92.4 | 95.0 | 95.5 | 41.5 | 89.1 | 64.5 | 94.9 | 91.9 | Tubewell |
| 19.9 | 0.0 | 8.7 | 5.4 | 1.0 | 59.4 | 11.1 | 36.2 | 0.5 | 4.1 | Tap |
| 0.0 | 0.1 | 0.4 | 0.0 | 5.6 | 0.0 | 1.0 | 0.5 | 2.7 | 2.5 | Ringwell |
| 0.2 | 7.1 | 0.2 | 0.6 | 1.3 | 0.3 | 1.4 | 0.8 | 3.6 | 3.3 | Other |
| | | | | | | | | | | Source of water for household work (Multiple answer) |
| 33.2 | 18.3 | 49.0 | 85.1 | 80.2 | 29.8 | 68.8 | 48.7 | 58.6 | 57.6 | Tubewell |
| 34.6 | 0.4 | 28.7 | 14.9 | 0.3 | 64.8 | 19.9 | 43.1 | 0.4 | 4.7 | Tap |
| 0.2 | 0.0 | 7.1 | 1.5 | 9.4 | 0.8 | 2.7 | 1.7 | 5.2 | 4.8 | Ringwell |
| 48.4 | 89.4 | 22.1 | 4.8 | 36.6 | 11.7 | 22.0 | 16.7 | 58.8 | 54.6 | Other |

RESULTS OF MULTIPLE INDICATOR CLUSTER SURVEY - 1996

(all figures in percent)

| Indicator/Category | CHITTAGONG | | | | DHAKA | | | | KHULNA | | |
|--|------------|----------------|----------------------|----------------|------------|----------------|----------------------|----------------|------------|----------------------|----------------|
| | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO SLUM | METRO NON-SLUM | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL |
| 22. Type of Latrine (Multiple answer) | | | | | | | | | | | |
| Water seal | 24.4 | 73.0 | 38.6 | 6.5 | 7.8 | 64.9 | 57.1 | 7.7 | 42.5 | 41.4 | 10.9 |
| Pit | 30.8 | 11.8 | 21.5 | 31.5 | 54.8 | 25.4 | 26.6 | 31.2 | 45.4 | 28.2 | 37.3 |
| Hanging | 41.6 | 14.3 | 39.9 | 58.9 | 36.6 | 10.1 | 11.1 | 44.3 | 12.3 | 19.0 | 23.4 |
| Other | 4.4 | 1.1 | 1.1 | 5.4 | 0.7 | 0.2 | 5.6 | 17.0 | 0.5 | 12.8 | 28.7 |
| 23. Hand washing after defecation (Multiple answer) | | | | | | | | | | | |
| Only water | 32.6 | 18.3 | 31.1 | 54.3 | 33.2 | 12.9 | 3.5 | 24.4 | 11.0 | 2.7 | 4.9 |
| Water & soap | 67.0 | 91.2 | 78.1 | 35.7 | 41.3 | 93.2 | 79.0 | 21.2 | 73.3 | 35.0 | 11.6 |
| Water & ash/soil | 47.8 | 15.1 | 49.8 | 49.6 | 50.3 | 21.2 | 50.3 | 66.2 | 50.0 | 60.5 | 79.0 |
| Other | 0.7 | 0.7 | 0.9 | 1.1 | 0.5 | 0.3 | 0.0 | 1.6 | 0.0 | 5.0 | 2.6 |
| 24. Households using Iodized salt | | | | | | | | | | | |
| | 40.6 | 68.9 | 55.8 | 25.5 | 47.7 | 88.1 | 78.1 | 36.7 | 93.6 | 86.2 | 75.1 |
| 25. Type of house | | | | | | | | | | | |
| Jhupri (Squatter) | 0.2 | 0.2 | 0.0 | 1.3 | 2.3 | 0.0 | 0.0 | 2.9 | 0.2 | 2.1 | 3.0 |
| Bamboo / Leaf | 57.1 | 6.3 | 8.3 | 35.9 | 39.4 | 8.4 | 5.6 | 28.3 | 33.7 | 27.8 | 45.0 |
| Mud/Bam/Leaf/+Tin/Tally | 20.7 | 20.5 | 45.0 | 48.9 | 52.5 | 28.2 | 37.5 | 51.4 | 12.8 | 27.4 | 39.1 |
| Tin/Brick+Tin/Tally | 14.8 | 27.0 | 30.0 | 12.1 | 5.8 | 29.6 | 29.1 | 17.1 | 23.0 | 16.6 | 8.9 |
| Brick (Broken old) | 0.5 | 1.3 | 0.4 | 1.4 | 0.2 | 4.1 | 0.6 | 0.4 | 1.1 | 3.5 | 0.7 |
| Brick (New) | 6.7 | 44.9 | 19.2 | 2.7 | 0.0 | 30.2 | 27.8 | 0.7 | 29.2 | 23.4 | 2.4 |

| BARISAL | | RAJSHAHI | | | NATIONAL | | | | | Indicator/Category |
|---|-------------------|---------------|-------------------------|-------------------|-----------------|-------------------------|--------------|--------------|------|-------------------------|
| MUNICIPALITIES | DIVISION RURAL | METRO CITY | OTHER MUNICIPALITIES | DIVISION RURAL | METRO CITIES | OTHER MUNICIPALITIES | ALL URBAN | ALL RURAL | ALL | |
| Type of Latrine (Multiple answer) | | | | | | | | | | |
| 29.6 | 4.4 | 71.5 | 49.9 | 11.9 | 56.1 | 47.7 | 52.1 | 8.6 | 13.3 | Water seal |
| 54.7 | 46.7 | 10.8 | 22.2 | 40.3 | 28.0 | 26.6 | 27.3 | 35.6 | 34.7 | Pit |
| 13.4 | 47.7 | 8.3 | 8.5 | 11.8 | 15.4 | 16.4 | 15.9 | 37.9 | 34.8 | Hanging |
| 2.6 | 1.8 | 9.6 | 19.5 | 36.4 | 1.1 | 9.8 | 5.3 | 19.5 | 18.0 | Other |
| Hand washing after defecation (Multiple answer) | | | | | | | | | | |
| 10.6 | 14.8 | 0.6 | 13.8 | 10.3 | 16.2 | 11.5 | 13.9 | 25.7 | 24.5 | Only water |
| 55.0 | 22.0 | 79.0 | 44.0 | 14.1 | 82.8 | 60.5 | 72.0 | 22.2 | 27.2 | Water & soap |
| 51.3 | 79.1 | 24.6 | 65.6 | 85.6 | 27.9 | 56.3 | 41.6 | 69.6 | 66.8 | Water & ash/soil |
| 1.1 | 1.9 | 0.0 | 1.4 | 4.8 | 0.4 | 1.4 | 0.8 | 2.4 | 2.2 | Other |
| Households using Iodized salt | | | | | | | | | | |
| 71.4 | 40.1 | 75.3 | 67.4 | 45.2 | 77.9 | 72.0 | 75.0 | 40.6 | 44.0 | |
| Type of house | | | | | | | | | | |
| 1.2 | 4.7 | 0.4 | 4.8 | 2.3 | 0.4 | 1.8 | 1.0 | 2.5 | 2.4 | Jhupri (Squatter) |
| 21.5 | 37.1 | 8.7 | 8.9 | 40.5 | 16.5 | 11.3 | 14.0 | 36.0 | 33.8 | Bamboo / Leaf |
| 32.0 | 43.6 | 31.3 | 46.0 | 49.4 | 27.4 | 39.4 | 33.2 | 48.3 | 46.8 | Mud/Bam/Leaf/+Tin/Tally |
| 32.7 | 13.5 | 55.5 | 25.9 | 7.2 | 26.2 | 26.7 | 26.5 | 12.1 | 13.5 | Tin/Brick+Tin/Tally |
| 1.7 | 0.4 | 0.4 | 1.4 | 0.4 | 2.4 | 1.3 | 1.9 | 0.7 | 0.8 | Brick (Broken old) |
| 11.0 | 0.7 | 5.1 | 13.5 | 1.1 | 27.5 | 20.4 | 24.0 | 1.5 | 3.8 | Brick (New) |



T A B L E S

s h o w i n g
d i s t r i c t
s p e c i f i c
d a t a

GENERAL INFORMATION

| DIVISION | DISTRICT | AREA IN SQ.KMS | POPULATION | POPULATION DENSITY | HOUSEHOLDS | HOUSEHOLD SIZE | THANA | UNION | MAUZA | ROOFING * BRICK / TIN (%) |
|-------------------|-------------------|-------------------|-----------------|-----------------------|----------------|-------------------|------------|-------------|--------------|------------------------------|
| CHITTAGONG | | | | | | | | | | |
| | BANDARBAN | 4479 | 230569 | 51 | 45682 | 5 | 7 | 31 | 141 | 10.5 |
| | BRAHMANBARIA | 1927 | 2141745 | 1111 | 360265 | 5.9 | 7 | 101 | 1003 | 78.6 |
| | CHANDPUR | 1704 | 2032449 | 1192 | 355791 | 5.7 | 7 | 96 | 1086 | 94.5 |
| | CHITTAGONG | 5283 | 5296127 | 1002 | 919595 | 5.8 | 20 | 239 | 1111 | 55.6 |
| | COMILLA | 3085 | 4032666 | 1307 | 684205 | 5.9 | 12 | 180 | 2759 | 85.3 |
| | COX'S BAZAR | 2492 | 1419260 | 569 | 219937 | 6.5 | 7 | 60 | 208 | 30.5 |
| | FENI | 928 | 1096745 | 1181 | 186818 | 5.9 | 5 | 49 | 549 | 81.4 |
| | HABIGANG | 2637 | 1526609 | 579 | 267250 | 5.7 | 8 | 80 | 1366 | 49.9 |
| | KHAGRACHHARI | 2700 | 342488 | 127 | 70891 | 4.8 | 8 | 37 | 145 | 15.7 |
| | LAKSHMIPUR | 1456 | 1312337 | 901 | 239664 | 5.5 | 4 | 53 | 470 | 80.3 |
| | MOULVIBAZAR | 2799 | 1376566 | 491 | 242831 | 5.7 | 6 | 72 | 1002 | 44.4 |
| | NOAKHALI | 3601 | 2217134 | 615 | 384407 | 5.8 | 6 | 92 | 967 | 62.1 |
| | RANGAMATI | 6116 | 401388 | 66 | 75889 | 5.3 | 10 | 50 | 186 | 21.2 |
| | SUNAMGANJ | 3670 | 1708563 | 465 | 282150 | 6.1 | 10 | 84 | 1818 | 48.9 |
| | SYLHET | 3490 | 2153301 | 617 | 341745 | 6.3 | 11 | 101 | 1799 | 76.5 |
| | DIVISIONAL | 46367 | 27287947 | 589 | 4677120 | 5.8 | 128 | 1325 | 14610 | 65.1 |
| DHAKA | | | | | | | | | | |
| | DHAKA | 1464 | 5839642 | 3989 | 1041842 | 5.6 | 19 | 146 | 1741 | 92.9 |
| | FARIDPUR | 2073 | 1505686 | 726 | 277509 | 5.4 | 8 | 82 | 1066 | 64.7 |
| | GAZIPUR | 1741 | 1621562 | 931 | 318972 | 5.1 | 5 | 49 | 766 | 81.6 |
| | GOPALGANJ | 1490 | 1060791 | 711 | 192193 | 5.5 | 5 | 72 | 651 | 89.1 |
| | JAMALPUR | 2032 | 1874440 | 922 | 379545 | 4.9 | 7 | 74 | 893 | 51.6 |
| | KISHOREGANJ | 2689 | 2306087 | 857 | 421227 | 5.5 | 13 | 117 | 999 | 62.1 |
| | MADARIPUR | 1145 | 1069176 | 934 | 196800 | 5.4 | 4 | 61 | 553 | 85.3 |
| | MANIKGANJ | 1379 | 1175909 | 852 | 224919 | 5.2 | 7 | 68 | 1357 | 93.2 |
| | MUNSHIGANJ | 955 | 1188387 | 1244 | 205376 | 5.8 | 6 | 72 | 690 | 95.8 |
| | MYMENSINGH | 4363 | 3957182 | 907 | 763500 | 5.2 | 12 | 159 | 2287 | 20.2 |
| | NARAYANGANJ | 759 | 1754804 | 2309 | 314890 | 5.6 | 5 | 61 | 996 | 98.2 |
| | NARSINGDI | 1141 | 1652123 | 1448 | 309202 | 5.3 | 6 | 73 | 682 | 92.4 |
| | NETROKONA | 2810 | 1730935 | 616 | 327379 | 5.3 | 10 | 92 | 1684 | 33.3 |
| | RAJBARI | 1119 | 835173 | 746 | 147299 | 5.7 | 4 | 48 | 839 | 76.5 |
| | SHARIATPUR | 1181 | 953021 | 806 | 177185 | 5.4 | 6 | 64 | 607 | 68.1 |
| | SHERPUR | 1364 | 1138629 | 835 | 234284 | 4.9 | 5 | 46 | 490 | 33.9 |
| | TANGAIL | 3414 | 3002428 | 879 | 570904 | 5.3 | 11 | 109 | 2090 | 73.2 |
| | DIVISIONAL | 31119 | 32665975 | 1050 | 6103026 | 5.4 | 133 | 1393 | 18391 | 69.5 |

| DIVISION | DISTRICT | AREA IN SQ.KMS | POPULATION | POPULATION DENSITY | HOUSEHOLDS | HOUSEHOLD SIZE | THANA | UNION | MAUZA | ROOFING * BRICK / TIN (%) |
|-----------------|-------------------|-------------------|-----------------|-----------------------|----------------|-------------------|------------|-------------|--------------|------------------------------|
| KHULNA | | | | | | | | | | |
| | BAGERHAT | 3959 | 1431332 | 361 | 275246 | 5.2 | 9 | 81 | 747 | 30.2 |
| | CHUADANGA | 1158 | 807164 | 697 | 145741 | 5.5 | 4 | 38 | 421 | 52.1 |
| | JESSORE | 2567 | 2106996 | 820 | 380314 | 5.5 | 8 | 94 | 1389 | 67.9 |
| | JHENAI DAH | 1961 | 1361280 | 694 | 239464 | 5.7 | 6 | 82 | 1016 | 55.8 |
| | KHULNA | 4395 | 2010643 | 457 | 374848 | 5.4 | 14 | 94 | 1101 | 41.9 |
| | KUSHTIA | 1621 | 1502126 | 926 | 272676 | 5.5 | 6 | 72 | 755 | 71.6 |
| | MAGURA | 1049 | 724027 | 690 | 124243 | 5.8 | 4 | 39 | 565 | 64.5 |
| | MEHERPUR | 716 | 491917 | 687 | 92965 | 5.3 | 2 | 27 | 229 | 34.1 |
| | NARAIL | 990 | 655720 | 662 | 117957 | 5.6 | 3 | 43 | 472 | 47.1 |
| | SATKHIRA | 3858 | 1597178 | 414 | 290921 | 5.5 | 7 | 83 | 987 | 37.0 |
| | DIVISIONAL | 22274 | 12688383 | 570 | 2314375 | 5.5 | 63 | 653 | 7682 | 51.1 |
| BARISAL | | | | | | | | | | |
| | BARGUNA | 1832 | 775693 | 423 | 148151 | 5.2 | 5 | 41 | 268 | 44.2 |
| | BARISAL | 2791 | 2207426 | 791 | 414612 | 5.3 | 10 | 102 | 1186 | 85.5 |
| | BHOLA | 3403 | 1476328 | 434 | 266798 | 5.5 | 7 | 61 | 428 | 44.1 |
| | JHALKATHI | 758 | 666139 | 879 | 126545 | 5.3 | 4 | 37 | 447 | 78.3 |
| | PATUAKHALI | 3205 | 1273872 | 397 | 228463 | 5.6 | 6 | 66 | 587 | 31.6 |
| | PEROJPUR | 1308 | 1063185 | 813 | 204418 | 5.2 | 6 | 54 | 417 | 50.7 |
| | DIVISIONAL | 13297 | 7462643 | 561 | 1388987 | 5.4 | 38 | 361 | 3333 | 58.2 |
| RAJSHAHI | | | | | | | | | | |
| | BOGRA | 2920 | 2669287 | 914 | 516407 | 5.2 | 11 | 117 | 1857 | 73.1 |
| | DINAJPUR | 3438 | 2260131 | 657 | 430357 | 5.3 | 13 | 112 | 2149 | 46.8 |
| | GAIBANDHA | 2179 | 1949274 | 894 | 372467 | 5.2 | 7 | 85 | 1120 | 42.4 |
| | JOYPURHAT | 965 | 765011 | 792 | 151091 | 5.1 | 5 | 34 | 728 | 62.3 |
| | KURIGRAM | 2296 | 1603034 | 698 | 299310 | 5.4 | 9 | 77 | 737 | 31.8 |
| | LALMONIRHAT | 1242 | 953460 | 768 | 182367 | 5.2 | 5 | 45 | 424 | 28.2 |
| | NAOGAON | 3436 | 2148053 | 625 | 400617 | 5.4 | 11 | 102 | 2593 | 66.5 |
| | NATORE | 1896 | 1387761 | 732 | 253336 | 5.5 | 6 | 57 | 1317 | 70.4 |
| | NAWABGANJ | 1702 | 1171469 | 688 | 196226 | 6 | 5 | 53 | 830 | 80.6 |
| | NILPHAMARI | 1641 | 1348762 | 821 | 261057 | 5.2 | 6 | 71 | 422 | 30.4 |
| | PABNA | 2371 | 1919896 | 809 | 326215 | 5.9 | 9 | 83 | 1351 | 75.7 |
| | PANCHAGARH | 1405 | 712024 | 507 | 139586 | 5.1 | 5 | 46 | 490 | 19.4 |
| | RAJSHAHI | 2407 | 1887015 | 784 | 359084 | 5.3 | 10 | 100 | 1843 | 77.2 |
| | RANGPUR | 2308 | 2160346 | 936 | 424803 | 5.1 | 8 | 90 | 1237 | 45.8 |
| | SIRAJGANJ | 2498 | 2263573 | 906 | 407798 | 5.6 | 9 | 90 | 1497 | 87.6 |
| | THAKURGAON | 1809 | 1010948 | 559 | 193763 | 5.2 | 5 | 54 | 666 | 32.7 |
| | DIVISIONAL | 34513 | 26210044 | 759 | 4918084 | 5.3 | 124 | 1216 | 19261 | 58.0 |

* Rural

NUTRITION *(all figures in percent)*

| | | Malnutrition | | Vitamin A Administration | | | | Vitamin A Administration | | | | Exclusive Breastfeeding | | |
|------------|--------------------|----------------|------|--------------------------|--------|--------|---------|--------------------------|--------|--------|---------|-------------------------|------------|-----------|
| DIVISION | DISTRICT RURAL | MUAC < 12.5 cm | | BOY | | | | GIRL | | | | BOY | | |
| | | Boy | Girl | 0 Dose | 1 Dose | 2 Dose | >2 Dose | 0 Dose | 1 Dose | 2 Dose | >2 Dose | 0 Month | 1-4 Months | 5+ Months |
| CHITTAGONG | | | | | | | | | | | | | | |
| | BANDARBAN | 7.0 | 8.6 | 3.7 | 29.9 | 26.2 | 40.1 | 8.1 | 27.3 | 24.2 | 40.4 | 42.4 | 49.2 | 8.5 |
| | BRAHMANBARIA | 9.1 | 21.9 | 25.1 | 38.0 | 23.5 | 13.4 | 25.8 | 36.5 | 24.7 | 12.9 | 97.2 | 2.8 | 0.0 |
| | CHANDPUR | 17.0 | 26.4 | 13.7 | 26.4 | 39.6 | 20.3 | 13.6 | 27.3 | 38.3 | 20.8 | 95.4 | 3.0 | 1.6 |
| | CHITTAGONG | 8.0 | 16.4 | 15.8 | 29.4 | 39.5 | 15.3 | 14.1 | 32.7 | 38.5 | 14.7 | 98.4 | 1.6 | 0.0 |
| | COMILLA | 18.0 | 28.6 | 34.1 | 39.4 | 18.2 | 8.2 | 30.9 | 40.9 | 20.4 | 7.7 | 96.2 | 0.0 | 3.8 |
| | COX'S BAZAR | 8.3 | 12.7 | 20.5 | 38.2 | 29.5 | 11.8 | 20.5 | 40.3 | 23.2 | 16.0 | 76.7 | 8.9 | 14.4 |
| | FENI | 10.2 | 18.8 | 35.9 | 21.2 | 24.1 | 18.8 | 35.2 | 24.7 | 19.1 | 20.9 | 84.8 | 15.2 | 0.0 |
| | HABIGANJ | 4.9 | 10.7 | 34.4 | 26.7 | 30.1 | 8.7 | 37.9 | 31.3 | 22.5 | 8.2 | 96.9 | 3.1 | 0.0 |
| | KHAGRACHHARI | 15.1 | 13.8 | 19.8 | 38.3 | 28.7 | 13.2 | 24.3 | 41.4 | 27.6 | 6.6 | 84.2 | 7.9 | 7.9 |
| | LAKSHMIPUR | 27.0 | 28.8 | 15.4 | 56.0 | 25.6 | 3.0 | 24.1 | 51.2 | 20.5 | 4.2 | 96.3 | 1.9 | 1.9 |
| | MOULVIBAZAR | 8.3 | 10.6 | 20.8 | 44.3 | 26.6 | 8.3 | 29.4 | 42.6 | 16.7 | 11.3 | 80.6 | 19.4 | 0.0 |
| | NOAKHALI | 14.8 | 21.4 | 26.2 | 46.0 | 20.9 | 7.0 | 27.4 | 43.3 | 22.4 | 7.0 | 95.0 | 3.3 | 1.7 |
| | RANGAMATI | 8.6 | 18.8 | 17.3 | 28.8 | 36.5 | 17.3 | 15.1 | 31.4 | 40.1 | 13.4 | 43.2 | 34.1 | 22.7 |
| | SUNAMGANJ | 15.2 | 22.7 | 34.0 | 49.7 | 11.2 | 5.1 | 32.9 | 50.9 | 10.3 | 6.0 | 97.3 | 2.7 | 0.0 |
| | SYLHET | 10.5 | 11.3 | 44.6 | 32.9 | 16.2 | 6.3 | 40.1 | 42.7 | 12.5 | 4.7 | 95.5 | 4.5 | 0.0 |
| | DIVISIONAL (Rural) | 12.4 | 19.6 | 25.5 | 36.3 | 26.8 | 11.3 | 25.7 | 38.1 | 24.9 | 11.3 | 92.6 | 5.1 | 2.2 |
| DHAKA | | | | | | | | | | | | | | |
| | DHAKA | 11.5 | 11.1 | 13.7 | 43.1 | 32.4 | 10.8 | 15.4 | 36.3 | 32.9 | 15.4 | 91.7 | 5.6 | 2.7 |
| | FARIDPUR | 6.9 | 15.9 | 20.8 | 18.3 | 29.2 | 31.7 | 16.7 | 30.8 | 27.5 | 25.0 | 62.2 | 35.1 | 2.7 |
| | GAZIPUR | 8.0 | 11.0 | 25.0 | 39.8 | 18.5 | 16.7 | 23.0 | 50.0 | 16.0 | 11.0 | 67.7 | 16.1 | 16.1 |
| | GOPALGANJ | 6.1 | 11.9 | 18.9 | 21.2 | 47.0 | 12.9 | 15.8 | 27.8 | 42.9 | 13.5 | 70.7 | 26.8 | 2.5 |
| | JAMALPUR | 12.9 | 10.0 | 24.7 | 32.9 | 15.3 | 27.1 | 19.5 | 24.4 | 17.1 | 39.0 | 92.0 | 8.0 | 0.0 |
| | KISHOREGANJ | 13.1 | 21.3 | 31.8 | 35.8 | 26.6 | 5.8 | 34.8 | 28.1 | 29.6 | 7.4 | 100.0 | 0.0 | 0.0 |
| | MADARIPUR | 19.5 | 24.3 | 28.7 | 48.5 | 13.6 | 9.4 | 34.4 | 41.1 | 18.2 | 6.3 | 100.0 | 0.0 | 0.0 |
| | MANIKGANJ | 1.3 | 7.3 | 25.7 | 27.5 | 22.9 | 23.9 | 19.3 | 29.4 | 22.4 | 28.6 | 91.7 | 8.3 | 0.0 |
| | MUNSHIGANJ | 5.9 | 10.2 | 8.7 | 18.1 | 59.1 | 14.2 | 15.8 | 18.8 | 48.9 | 16.5 | 94.9 | 0.0 | 5.2 |
| | MYMENSINGH | 9.5 | 9.0 | 9.3 | 27.9 | 47.1 | 15.7 | 24.8 | 24.1 | 44.1 | 6.9 | 100.0 | 0.0 | 0.0 |
| | NARSINGDI | 3.5 | 9.2 | 25.6 | 53.6 | 18.4 | 2.4 | 26.8 | 43.9 | 24.4 | 4.9 | 100.0 | 0.0 | 0.0 |
| | NARAYANGANJ | 3.9 | 2.9 | 9.8 | 8.4 | 48.3 | 33.6 | 11.2 | 8.6 | 41.4 | 38.8 | 97.1 | 2.9 | 0.0 |
| | NETROKONA | 9.0 | 10.1 | 27.9 | 40.0 | 28.4 | 3.7 | 36.0 | 40.1 | 20.3 | 3.6 | 98.3 | 0.0 | 1.7 |
| | RAJBARI | 6.9 | 8.1 | 22.1 | 33.8 | 35.2 | 9.0 | 27.3 | 30.1 | 33.6 | 9.1 | 94.7 | 2.6 | 2.6 |
| | SHARIATPUR | 12.6 | 8.2 | 10.8 | 24.7 | 47.0 | 17.3 | 16.2 | 23.2 | 47.0 | 13.6 | 89.3 | 5.4 | 5.3 |
| | SHERPUR | 9.6 | 6.4 | 43.5 | 34.0 | 17.7 | 4.8 | 41.2 | 30.9 | 22.8 | 5.1 | 97.8 | 0.0 | 2.2 |
| | TANGAIL | 4.7 | 4.1 | 27.8 | 23.3 | 36.7 | 12.2 | 35.6 | 24.1 | 31.0 | 9.2 | 62.5 | 37.5 | 0.0 |
| | DIVISIONAL (Rural) | 8.8 | 10.5 | 20.4 | 32.5 | 32.8 | 14.3 | 24.0 | 30.2 | 31.4 | 14.4 | 88.8 | 9.3 | 1.9 |

| Exclusive Breastfeeding | | | Continued Breastfeeding | | | | Continued Breastfeeding | | | | | |
|-------------------------|------------|-----------|-------------------------|------------|-------------|-----------|-------------------------|------------|-------------|-----------|-------------------------------|-------------------|
| GIRL | | | BOY | | | | GIRL | | | | Household -Salt Iodized | DISTRICT RURAL |
| 0 Month | 1-4 Months | 5+ Months | 0 months | 1-6 months | 7-12 months | 13+months | 0 months | 1-6 months | 7-12 months | 13+months | | |
| 39.3 | 52.9 | 7.8 | 0.6 | 0.6 | 0.0 | 98.8 | 1.4 | 0.0 | 0.7 | 97.9 | 9.8 | BANDARBAN |
| 95.5 | 1.5 | 3.0 | 0.0 | 0.0 | 2.4 | 97.6 | 0.7 | 2.8 | 9.0 | 87.5 | 19.5 | BRAHMANBARIA |
| 88.9 | 11.1 | 0.0 | 0.0 | 1.7 | 6.8 | 91.5 | 0.0 | 1.4 | 7.7 | 90.9 | 31.1 | CHANDPUR |
| 93.9 | 4.1 | 2.0 | 0.0 | 0.7 | 4.1 | 95.2 | 0.0 | 0.0 | 9.7 | 90.3 | 24.6 | CHITTAGONG |
| 98.1 | 1.9 | 0.0 | 0.6 | 0.6 | 3.1 | 95.7 | 0.6 | 0.0 | 2.4 | 97.0 | 15.3 | COMILLA |
| 78.0 | 5.5 | 16.5 | 0.8 | 0.4 | 7.2 | 91.6 | 0.0 | 1.2 | 7.5 | 91.3 | 0.4 | COX'S BAZAR |
| 80.4 | 12.5 | 7.1 | 1.3 | 3.3 | 3.9 | 91.5 | 0.0 | 1.4 | 5.8 | 92.8 | 32.2 | FENI |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.4 | 96.6 | 1.3 | 1.3 | 3.8 | 93.6 | 16.0 | HABIGANJ |
| 83.3 | 5.6 | 11.1 | 0.0 | 0.0 | 10.1 | 89.9 | 0.0 | 0.0 | 16.0 | 84.0 | 33.8 | KHAGRACHHARI |
| 86.4 | 13.6 | 0.0 | 0.0 | 0.0 | 1.4 | 98.6 | 0.0 | 0.7 | 2.7 | 96.6 | 17.5 | LAKSHMIPUR |
| 67.3 | 31.0 | 1.7 | 1.7 | 0.6 | 1.7 | 96.0 | 1.1 | 0.5 | 4.9 | 93.5 | 37.1 | MOULVIBAZAR |
| 97.3 | 1.4 | 1.4 | 0.0 | 1.2 | 3.0 | 95.8 | 0.0 | 1.1 | 2.2 | 96.7 | 28.1 | NOAKHALI |
| 48.7 | 20.5 | 30.8 | 0.7 | 0.0 | 5.0 | 94.3 | 1.3 | 0.6 | 3.1 | 95.0 | 28.6 | RANGAMATI |
| 95.2 | 4.8 | 0.0 | 1.3 | 0.7 | 7.8 | 90.2 | 0.0 | 0.0 | 5.0 | 95.0 | 31.8 | SUNAMGANJ |
| 85.9 | 12.7 | 1.4 | 1.0 | 0.5 | 4.9 | 93.6 | 0.6 | 0.6 | 6.6 | 92.2 | 56.6 | SYLHET |
| 89.8 | 7.5 | 2.7 | 0.5 | 0.7 | 4.1 | 94.8 | 0.4 | 0.8 | 5.8 | 93.1 | 25.5 | DIVISIONAL |
| 100.0 | 0.0 | 0.0 | 24.4 | 0.0 | 6.1 | 69.5 | 18.4 | 3.9 | 3.9 | 73.8 | 47.9 | DHAKA |
| 78.0 | 19.5 | 2.5 | 0.0 | 0.0 | 1.9 | 98.1 | 0.0 | 0.9 | 0.0 | 99.1 | 51.0 | FARIDPUR |
| 85.2 | 11.1 | 3.7 | 1.0 | 1.0 | 1.9 | 96.1 | 1.1 | 1.1 | 1.1 | 96.7 | 38.9 | GAZIPUR |
| 77.1 | 22.9 | 0.0 | 0.9 | 0.0 | 0.9 | 98.2 | 0.8 | 1.7 | 0.8 | 96.7 | 40.7 | GOPALGANJ |
| 88.0 | 12.0 | 0.0 | 0.0 | 0.0 | 1.4 | 98.6 | 0.0 | 0.0 | 9.9 | 90.1 | 42.7 | JAMALPUR |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.7 | 4.1 | 95.2 | 0.0 | 0.0 | 1.6 | 98.4 | 12.9 | KISHOREGANJ |
| 100.0 | 0.0 | 0.0 | 0.6 | 0.6 | 2.5 | 96.3 | 1.8 | 1.8 | 4.1 | 92.3 | 31.2 | MADARIPUR |
| 94.4 | 5.6 | 0.0 | 2.0 | 0.0 | 6.1 | 91.9 | 0.0 | 0.0 | 2.7 | 97.3 | 41.0 | MANIKGANJ |
| 95.3 | 2.3 | 2.3 | 0.9 | 3.4 | 6.8 | 88.9 | 3.6 | 1.8 | 3.6 | 91.0 | 67.3 | MUNSHIGANJ |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 96.2 | 0.0 | 0.0 | 3.1 | 96.9 | 28.2 | MYMENSINGH |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.8 | 10.8 | 88.4 | 0.7 | 1.4 | 4.2 | 93.7 | 21.1 | NARSINGDI |
| 96.1 | 3.9 | 0.0 | 0.8 | 0.8 | 2.3 | 96.1 | 1.5 | 3.0 | 7.4 | 88.1 | 55.9 | NARAYANGANJ |
| 96.9 | 1.5 | 1.5 | 1.2 | 0.0 | 6.6 | 92.2 | 0.6 | 0.0 | 8.9 | 90.5 | 5.9 | NETROKONA |
| 88.9 | 11.1 | 0.0 | 0.0 | 0.7 | 2.9 | 96.4 | 0.0 | 0.7 | 0.7 | 98.6 | 26.9 | RAJBARI |
| 92.3 | 5.1 | 2.6 | 0.6 | 0.0 | 2.3 | 97.1 | 0.0 | 1.1 | 1.6 | 97.3 | 12.6 | SHARIATPUR |
| 84.2 | 2.6 | 13.2 | 0.8 | 0.0 | 7.6 | 91.6 | 0.0 | 0.8 | 7.3 | 91.9 | 43.0 | SHERPUR |
| 80.0 | 20.0 | 0.0 | 0.0 | 0.0 | 4.5 | 95.5 | 0.0 | 0.0 | 2.8 | 97.2 | 42.7 | TANGAIL |
| 92.3 | 6.6 | 1.2 | 2.3 | 0.4 | 4.4 | 92.9 | 1.9 | 0.9 | 3.9 | 93.3 | 36.7 | DIVISIONAL |

NUTRITION *(all figures in percent)*

| | | Malnutrition | | Vitamin A Administration | | | | Vitamin A Administration | | | | Exclusive Breastfeeding | | |
|----------|--------------------|----------------|------|--------------------------|--------|--------|---------|--------------------------|--------|--------|---------|-------------------------|------------|-----------|
| DIVISION | DISTRICT RURAL | MUAC < 12.5 cm | | BOY | | | | GIRL | | | | BOY | | |
| | | Boy | Girl | 0 Dose | 1 Dose | 2 Dose | >2 Dose | 0 Dose | 1 Dose | 2 Dose | >2 Dose | 0 Month | 1-4 Months | 5+ Months |
| KHULNA | | | | | | | | | | | | | | |
| | BAGERHAT | 5.6 | 6.2 | 5.8 | 21.0 | 64.5 | 8.7 | 2.6 | 20.4 | 69.1 | 7.9 | 98.1 | 0.0 | 1.9 |
| | CHUADANGA | 8.7 | 10.3 | 10.1 | 41.0 | 45.3 | 3.6 | 13.3 | 34.3 | 45.7 | 6.7 | 100.0 | 0.0 | 0.0 |
| | JESSORE | 2.9 | 4.6 | 7.7 | 29.2 | 40.0 | 23.1 | 8.8 | 29.0 | 40.5 | 21.6 | 96.7 | 3.3 | 0.0 |
| | JHENAIDAH | 3.3 | 10.4 | 2.5 | 9.2 | 46.2 | 42.0 | 2.5 | 11.8 | 27.7 | 58.0 | 100.0 | 0.0 | 0.0 |
| | KHULNA | 0.9 | 6.2 | 12.2 | 28.6 | 41.5 | 17.7 | 4.9 | 25.5 | 40.2 | 29.4 | 96.2 | 3.8 | 0.0 |
| | KUSHTIA | 7.1 | 10.2 | 3.4 | 34.9 | 59.1 | 2.7 | 5.6 | 36.4 | 53.1 | 4.9 | 97.9 | 0.0 | 2.1 |
| | MAGURA | 4.5 | 10.5 | 5.2 | 27.2 | 52.2 | 15.4 | 5.9 | 20.7 | 54.8 | 18.5 | 100.0 | 0.0 | 0.0 |
| | MEHERPUR | 5.6 | 10.8 | 10.3 | 9.2 | 40.2 | 40.2 | 5.6 | 12.4 | 26.9 | 55.1 | 100.0 | 0.0 | 0.0 |
| | NARAIL | 2.0 | 7.8 | 1.7 | 2.5 | 18.6 | 77.1 | 2.3 | 3.0 | 17.4 | 77.3 | 100.0 | 0.0 | 0.0 |
| | SATKHIRA | 1.7 | 6.3 | 10.2 | 44.6 | 24.8 | 20.4 | 11.8 | 53.4 | 19.9 | 14.9 | 100.0 | 0.0 | 0.0 |
| | DIVISIONAL (Rural) | 3.7 | 7.2 | 7.5 | 28.4 | 45.4 | 18.7 | 6.6 | 28.5 | 41.0 | 22.6 | 98.5 | 1.0 | 0.5 |
| BARISAL | | | | | | | | | | | | | | |
| | BARGUNA | 8.1 | 15.5 | 19.3 | 36.7 | 31.2 | 12.8 | 20.6 | 27.1 | 39.3 | 13.1 | 100.0 | 0.0 | 0.0 |
| | BARISAL | 13.9 | 15.8 | 14.6 | 22.3 | 45.4 | 17.7 | 17.2 | 20.0 | 42.8 | 20.0 | 100.0 | 0.0 | 0.0 |
| | BHOLA | 9.4 | 18.4 | 21.4 | 23.9 | 26.4 | 28.3 | 21.4 | 24.4 | 26.0 | 27.2 | 86.5 | 1.9 | 11.6 |
| | JHALKATHI | 8.9 | 13.6 | 23.7 | 27.4 | 39.3 | 9.6 | 24.8 | 14.7 | 48.9 | 6.6 | 97.6 | 2.4 | 0.0 |
| | PATUAKHALI | 9.8 | 13.0 | 23.3 | 16.7 | 50.7 | 9.3 | 17.5 | 16.7 | 56.3 | 9.5 | 100.0 | 0.0 | 0.0 |
| | PEROJPUR | 4.4 | 3.6 | 4.7 | 13.2 | 39.6 | 42.5 | 7.8 | 13.6 | 41.7 | 36.9 | 97.8 | 2.2 | 0.0 |
| | DIVISIONAL (Rural) | 9.9 | 13.9 | 17.4 | 22.3 | 39.8 | 20.5 | 17.8 | 20.2 | 41.8 | 20.2 | 96.8 | 0.9 | 2.3 |
| RAJSHAHI | | | | | | | | | | | | | | |
| | BOGRA | 4.1 | 8.2 | 3.3 | 18.7 | 63.4 | 13.8 | 5.2 | 17.4 | 64.3 | 13.0 | 92.1 | 0.0 | 7.9 |
| | DINAJPUR | 10.8 | 7.7 | 8.7 | 57.9 | 25.4 | 7.9 | 4.5 | 60.4 | 25.4 | 12.7 | 88.9 | 5.6 | 5.6 |
| | GAIBANDHA | 7.8 | 14.0 | 20.9 | 25.2 | 51.8 | 2.2 | 17.7 | 28.4 | 49.6 | 4.3 | 97.3 | 2.7 | 0.0 |
| | JOYPURHAT | 3.9 | 2.3 | 5.8 | 32.0 | 51.5 | 10.7 | 10.3 | 31.9 | 44.0 | 13.8 | 93.9 | 0.0 | 6.0 |
| | KURIGRAM | 14.3 | 23.9 | 16.6 | 40.7 | 39.5 | 3.2 | 16.9 | 33.8 | 41.9 | 8.3 | 100.0 | 0.0 | 0.0 |
| | LALMONIRHAT | 4.6 | 5.1 | 2.6 | 23.2 | 52.9 | 21.3 | 4.0 | 29.3 | 50.7 | 16.0 | 92.2 | 7.8 | 0.0 |
| | NAOGAON | 4.1 | 9.6 | 4.0 | 37.3 | 37.3 | 21.4 | 3.5 | 33.6 | 38.5 | 24.5 | 100.0 | 0.0 | 0.0 |
| | NATORE | 6.0 | 10.0 | 27.6 | 33.3 | 16.2 | 22.9 | 21.7 | 34.9 | 12.0 | 31.3 | 100.0 | 0.0 | 0.0 |
| | NAWABGANJ | 8.4 | 13.6 | 7.9 | 20.1 | 58.5 | 13.4 | 4.5 | 31.8 | 49.7 | 14.0 | 62.2 | 26.7 | 11.1 |
| | NILPHAMARI | 9.1 | 8.6 | 7.7 | 52.1 | 21.6 | 18.6 | 5.0 | 61.4 | 16.3 | 17.3 | 100.0 | 0.0 | 0.0 |
| | PABNA | 10.4 | 15.1 | 14.3 | 26.7 | 47.2 | 11.8 | 10.7 | 26.4 | 50.6 | 12.4 | 100.0 | 0.0 | 0.0 |
| | PANCHAGARH | 8.0 | 8.6 | 14.6 | 36.0 | 31.7 | 17.7 | 11.4 | 38.3 | 35.4 | 14.9 | 100.0 | 0.0 | 0.0 |
| | RAJSHAHI | 2.7 | 2.6 | 9.1 | 38.5 | 41.3 | 11.2 | 14.3 | 40.0 | 36.2 | 10.5 | 100.0 | 0.0 | 0.0 |
| | RANGPUR | 10.5 | 15.8 | 17.0 | 32.7 | 47.7 | 2.6 | 16.9 | 28.1 | 50.9 | 4.1 | 97.5 | 2.5 | 0.0 |
| | SIRAJGANJ | 7.9 | 16.5 | 6.9 | 28.4 | 61.2 | 3.4 | 10.5 | 24.4 | 57.7 | 7.3 | 100.0 | 0.0 | 0.0 |
| | THAKURGAON | 5.1 | 10.9 | 4.6 | 10.9 | 78.2 | 6.3 | 4.9 | 10.4 | 77.8 | 6.9 | 89.5 | 7.9 | 2.6 |
| | DIVISIONAL (Rural) | 7.5 | 11.3 | 10.8 | 32.8 | 45.4 | 11.1 | 10.2 | 32.8 | 44.4 | 12.6 | 95.5 | 2.5 | 2.0 |

| Exclusive Breastfeeding | | | Continued Breastfeeding | | | | Continued Breastfeeding | | | | | |
|-------------------------|------------|------------|-------------------------|------------|-------------|-------------|-------------------------|------------|-------------|-------------|-------------------------------|-------------------|
| GIRL | | | BOY | | | | GIRL | | | | Household -Salt Iodized | DISTRICT RURAL |
| 0 Month | 1-4 Months | 5+ Months | 0 months | 1-6 months | 7-12 months | 13+months | 0 months | 1-6 months | 7-12 months | 13+months | | |
| 96.9 | 3.1 | 0.0 | 0.7 | 2.1 | 0.7 | 96.5 | 0.0 | 1.5 | 3.8 | 94.7 | 84.5 | BAGERHAT |
| 100.0 | 0.0 | 0.0 | 1.6 | 0.8 | 4.8 | 92.8 | 1.1 | 1.1 | 1.1 | 96.7 | 65.3 | CHUADANGA |
| 100.0 | 0.0 | 0.0 | 3.6 | 1.8 | 3.6 | 91.0 | 0.0 | 0.8 | 1.5 | 97.7 | 85.3 | JESSORE |
| 100.0 | 0.0 | 0.0 | 0.9 | 2.7 | 2.7 | 93.7 | 0.0 | 0.9 | 0.9 | 98.2 | 75.4 | JHENAIDAH |
| 89.2 | 2.7 | 8.1 | 1.5 | 2.3 | 3.8 | 92.4 | 0.0 | 2.2 | 2.2 | 95.6 | 81.4 | KHULNA |
| 95.7 | 0.0 | 4.3 | 0.7 | 2.1 | 1.4 | 95.8 | 0.0 | 0.8 | 1.6 | 97.6 | 65.5 | KUSHTIA |
| 89.3 | 2.1 | 8.5 | 0.0 | 2.3 | 4.6 | 93.1 | 0.0 | 3.3 | 6.5 | 90.2 | 87.7 | MAGURA |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 2.3 | 97.7 | 18.0 | MEHERPUR |
| 97.4 | 0.0 | 2.6 | 0.0 | 1.9 | 1.9 | 96.2 | 0.9 | 0.9 | 5.4 | 92.8 | 63.0 | NARAIL |
| 98.1 | 0.0 | 1.9 | 1.4 | 1.4 | 11.2 | 86.0 | 0.7 | 3.0 | 1.5 | 94.8 | 71.7 | SATKHIRA |
| 96.8 | 0.8 | 2.4 | 1.4 | 1.9 | 3.8 | 92.9 | 0.2 | 1.5 | 2.3 | 96.0 | 75.1 | DIVISIONAL |
| 100.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 98.0 | 0.0 | 1.1 | 0.0 | 98.9 | 59.5 | BARGUNA |
| 100.0 | 0.0 | 0.0 | 1.8 | 0.0 | 1.8 | 96.4 | 1.6 | 0.0 | 2.4 | 96.0 | 35.6 | BARISAL |
| 93.8 | 0.0 | 6.2 | 0.0 | 1.9 | 5.2 | 92.9 | 0.0 | 0.0 | 3.7 | 96.3 | 23.6 | BHOLA |
| 100.0 | 0.0 | 0.0 | 0.8 | 0.8 | 4.2 | 94.2 | 0.0 | 0.0 | 5.1 | 94.9 | 43.2 | JHALKATHI |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 97.9 | 0.0 | 0.0 | 1.7 | 98.3 | 44.6 | PATUAKHALI |
| 100.0 | 0.0 | 0.0 | 2.5 | 3.7 | 1.2 | 92.6 | 2.1 | 3.2 | 1.1 | 93.6 | 54.0 | PEROJPUR |
| 98.8 | 0.0 | 1.2 | 1.0 | 1.2 | 2.5 | 95.4 | 0.8 | 0.6 | 2.3 | 96.3 | 40.1 | DIVISIONAL |
| 94.7 | 2.6 | 2.6 | 0.0 | 1.9 | 3.8 | 94.3 | 1.0 | 3.0 | 3.0 | 93.0 | 66.9 | BOGRA |
| 82.5 | 15.0 | 2.5 | 0.0 | 1.8 | 1.8 | 96.4 | 1.6 | 0.0 | 7.3 | 91.1 | 35.6 | DINAJPUR |
| 89.7 | 6.9 | 3.4 | 0.0 | 1.7 | 3.3 | 95.0 | 0.8 | 0.0 | 3.3 | 95.9 | 18.2 | GAIBANDHA |
| 97.5 | 2.5 | 0.0 | 2.9 | 1.9 | 11.5 | 83.7 | 2.9 | 1.9 | 7.6 | 87.6 | 57.7 | JOYPURHAT |
| 96.6 | 0.0 | 3.4 | 0.0 | 0.0 | 7.2 | 92.8 | 0.0 | 1.5 | 6.2 | 92.3 | 35.9 | KURIGRAM |
| 95.2 | 4.8 | 0.0 | 0.0 | 2.3 | 12.5 | 85.2 | 0.7 | 0.0 | 8.1 | 91.2 | 12.7 | LALMONIRHAT |
| 100.0 | 0.0 | 0.0 | 0.9 | 2.7 | 1.8 | 94.6 | 0.0 | 1.5 | 6.0 | 92.5 | 62.7 | NAOGAON |
| 96.8 | 0.0 | 3.2 | 3.3 | 2.2 | 1.1 | 93.4 | 6.7 | 0.0 | 4.0 | 89.3 | 63.7 | NATORE |
| 60.4 | 25.0 | 14.6 | 0.0 | 1.4 | 8.8 | 89.8 | 0.6 | 0.6 | 11.2 | 87.6 | 62.4 | NAWABGANJ |
| 98.1 | 1.9 | 0.0 | 0.0 | 0.0 | 8.0 | 92.0 | 1.1 | 1.1 | 6.6 | 91.2 | 22.5 | NILPHAMARI |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.7 | 5.4 | 93.9 | 0.0 | 0.0 | 3.6 | 96.4 | 62.8 | PABNA |
| 98.2 | 0.0 | 1.8 | 0.0 | 0.0 | 10.5 | 89.5 | 0.6 | 0.6 | 10.7 | 88.1 | 15.9 | PANCHAGARH |
| 100.0 | 0.0 | 0.0 | 0.0 | 0.8 | 3.8 | 95.4 | 1.1 | 0.0 | 2.2 | 96.7 | 66.0 | RAJSHAHI |
| 94.2 | 2.9 | 2.9 | 1.5 | 3.8 | 4.6 | 90.1 | 0.0 | 0.6 | 6.4 | 93.0 | 32.9 | RANGPUR |
| 92.7 | 2.4 | 4.8 | 0.0 | 0.0 | 2.8 | 97.2 | 0.0 | 1.7 | 2.6 | 95.7 | 42.1 | SIRAJGANJ |
| 96.6 | 3.4 | 0.0 | 0.0 | 1.2 | 10.4 | 88.4 | 0.0 | 0.0 | 10.8 | 89.2 | 26.2 | THAKURGAON |
| 93.6 | 4.0 | 2.4 | 0.5 | 1.5 | 5.0 | 92.9 | 0.9 | 0.9 | 5.5 | 92.7 | 45.2 | DIVISIONAL |

DIARRHOEA *(all figures in percent)*

| | | Prevalence Last 15 Days | | Liquid Given (Both Sex) | | | | Solid Food Given (Both Sex) | | | | Diarrhoea Treated by (Both Sex) | | | Treatment Given (Both Sex) | | |
|-------------------|---------------------------|-------------------------|--------------------|-------------------------|-------------|-------------|------------|-----------------------------|-------------|-------------|------------|---------------------------------|--------------------------|-------------|----------------------------|-------------|-------------|
| DIVISION | DISTRICT RURAL | Boys (under Five) | Girls (under Five) | More | Same | Less | Not Given | More | Same | Less | Not Given | Health Worker | Unqualified Practitioner | Other | ORS | ORT | Medicines |
| CHITTAGONG | | | | | | | | | | | | | | | | | |
| | BANDARBAN | 10.5 | 9.0 | 54.5 | 36.4 | 6.1 | 3.0 | 11.8 | 41.2 | 44.1 | 2.9 | 40.0 | 40.0 | 20.0 | 71.4 | 71.4 | 31.4 |
| | BRAHMANBARIA | 17.2 | 15.8 | 62.5 | 21.9 | 14.1 | 1.6 | 1.6 | 23.4 | 71.9 | 3.1 | 27.1 | 42.4 | 39.0 | 50.0 | 59.4 | 53.1 |
| | CHANDPUR | 17.4 | 25.8 | 60.0 | 31.8 | 7.1 | 1.2 | 1.2 | 37.0 | 51.9 | 9.9 | 20.8 | 41.6 | 51.7 | 63.1 | 88.3 | 35.7 |
| | CHITTAGONG | 25.4 | 21.1 | 53.5 | 26.7 | 18.6 | 1.2 | 9.3 | 53.5 | 34.9 | 2.3 | 6.2 | 70.4 | 30.8 | 64.0 | 69.8 | 64.0 |
| | COMILLA | 25.1 | 27.6 | 63.1 | 12.6 | 21.4 | 2.9 | 13.5 | 9.6 | 74.0 | 2.9 | 8.4 | 61.5 | 33.3 | 54.9 | 69.6 | 51.0 |
| | COX'S BAZAR | 23.2 | 21.7 | 55.2 | 29.1 | 5.2 | 10.4 | 3.0 | 57.9 | 36.1 | 3.0 | 19.6 | 53.9 | 31.4 | 45.5 | 54.5 | 47.0 |
| | FENI | 32.4 | 26.7 | 63.8 | 17.1 | 19.0 | 0.0 | 9.4 | 26.7 | 62.9 | 1.9 | 14.4 | 29.6 | 33.3 | 53.3 | 63.6 | 38.3 |
| | HABIGANJ | 30.5 | 23.2 | 54.5 | 8.9 | 29.5 | 7.1 | 7.1 | 27.7 | 56.3 | 8.9 | 24.1 | 29.9 | 48.2 | 40.7 | 55.8 | 39.8 |
| | KHAGRACHHARI | 16.3 | 10.5 | 51.0 | 33.3 | 7.8 | 7.8 | 8.0 | 54.0 | 30.0 | 8.0 | 10.0 | 44.0 | 34.0 | 76.0 | 80.0 | 36.0 |
| | LAKSHMIPUR | 24.5 | 26.7 | 58.7 | 15.2 | 26.1 | 0.0 | 25.5 | 16.0 | 57.4 | 1.1 | 16.5 | 52.9 | 35.3 | 64.9 | 68.1 | 39.4 |
| | MOULVIBAZAR | 11.1 | 8.3 | 46.3 | 19.5 | 31.7 | 2.4 | 12.2 | 22.0 | 65.9 | 0.0 | 36.3 | 41.7 | 22.2 | 46.3 | 48.8 | 61.0 |
| | NOAKHALI | 27.6 | 17.4 | 55.2 | 22.9 | 19.8 | 2.1 | 9.6 | 54.3 | 34.0 | 2.1 | 12.2 | 33.8 | 63.6 | 57.3 | 64.6 | 35.4 |
| | RANGAMATI | 12.8 | 11.1 | 41.5 | 51.2 | 2.4 | 4.9 | 2.4 | 56.1 | 41.5 | 0.0 | 24.3 | 54.1 | 18.9 | 34.9 | 41.9 | 53.5 |
| | SUNAMGANJ | 9.0 | 10.8 | 39.6 | 39.6 | 18.8 | 2.1 | 8.9 | 24.4 | 66.7 | 0.0 | 8.6 | 57.1 | 23.1 | 41.7 | 41.7 | 37.5 |
| | SYLHET | 13.5 | 17.3 | 47.2 | 22.2 | 19.4 | 11.1 | 8.3 | 21.9 | 68.5 | 1.4 | 16.4 | 27.3 | 65.4 | 47.9 | 49.3 | 26.8 |
| | DIVISIONAL (Rural) | 21.6 | 20.4 | 54.0 | 24.5 | 18.2 | 3.2 | 9.1 | 33.2 | 54.7 | 3.0 | 17.5 | 48.0 | 38.7 | 54.5 | 61.8 | 46.8 |
| DHAKA | | | | | | | | | | | | | | | | | |
| | DHAKA | 10.8 | 4.0 | 31.3 | 37.5 | 31.3 | 0.0 | 0.0 | 43.8 | 50.0 | 6.3 | 18.8 | 43.8 | 37.5 | 43.8 | 50.0 | 62.5 |
| | FARIDPUR | 18.6 | 16.3 | 13.3 | 37.8 | 24.4 | 24.4 | 4.4 | 55.6 | 28.9 | 11.1 | 14.2 | 28.6 | 82.2 | 31.1 | 60.0 | 2.2 |
| | GAZIPUR | 17.5 | 27.6 | 32.0 | 42.0 | 24.0 | 2.0 | 20.0 | 24.0 | 56.0 | 0.0 | 12.0 | 14.0 | 30.0 | 28.0 | 40.0 | 4.0 |
| | GOPALGANJ | 12.5 | 10.6 | 33.3 | 18.2 | 45.5 | 3.0 | 39.4 | 24.2 | 36.4 | 0.0 | 3.6 | 78.6 | 17.8 | 66.7 | 75.8 | 9.1 |
| | JAMALPUR | 9.6 | 6.6 | 33.3 | 40.0 | 26.7 | 0.0 | 33.3 | 40.0 | 26.7 | 0.0 | 0.0 | 50.0 | 50.0 | 40.0 | 46.7 | 20.0 |
| | KISHOREGANJ | 22.0 | 24.8 | 45.5 | 33.8 | 20.8 | 0.0 | 16.9 | 58.4 | 24.7 | 0.0 | 11.8 | 35.3 | 69.1 | 62.3 | 74.0 | 16.9 |
| | MADARIPUR | 6.7 | 8.2 | 44.8 | 24.1 | 31.0 | 0.0 | 3.1 | 31.3 | 62.5 | 3.1 | 13.8 | 58.6 | 37.9 | 56.7 | 86.7 | 40.0 |
| | MANIKGANJ | 10.5 | 5.4 | 68.4 | 10.5 | 21.1 | 0.0 | 57.9 | 5.3 | 36.8 | 0.0 | 36.8 | 57.9 | 84.2 | 31.6 | 68.4 | 52.6 |
| | MUNSHIGANJ | 2.1 | 2.6 | 28.6 | 42.9 | 0.0 | 28.6 | 0.0 | 85.7 | 0.0 | 14.3 | 16.7 | 50.0 | 33.3 | 71.4 | 71.4 | 28.6 |
| | MYMENSINGH | 6.9 | 7.4 | 47.8 | 30.4 | 21.7 | 0.0 | 0.0 | 56.5 | 30.4 | 13.0 | 0.0 | 63.6 | 27.3 | 60.9 | 73.9 | 56.5 |
| | NARAYANGANJ | 10.9 | 9.8 | 6.1 | 27.3 | 51.5 | 15.2 | 0.0 | 45.5 | 48.5 | 6.1 | 14.3 | 78.6 | 14.3 | 57.6 | 78.8 | 63.6 |
| | NARSINGDI | 12.5 | 14.9 | 47.6 | 38.1 | 14.3 | 0.0 | 4.7 | 32.6 | 62.8 | 0.0 | 3.1 | 28.1 | 65.6 | 27.9 | 48.8 | 39.5 |
| | NETROKONA | 13.3 | 14.2 | 19.3 | 57.9 | 22.8 | 0.0 | 5.3 | 54.4 | 40.4 | 0.0 | 9.5 | 29.0 | 61.3 | 40.4 | 50.9 | 12.3 |
| | RAJBARI | 4.3 | 4.9 | 80.0 | 13.3 | 6.7 | 0.0 | 0.0 | 6.7 | 86.7 | 6.7 | 21.4 | 35.7 | 50.0 | 80.0 | 86.7 | 46.7 |
| | SHARIATPUR | 11.4 | 10.7 | 43.5 | 8.7 | 41.3 | 6.5 | 0.0 | 10.9 | 87.0 | 2.2 | 0.0 | 62.5 | 45.9 | 28.3 | 28.3 | 28.3 |
| | SHERPUR | 20.1 | 15.6 | 29.8 | 42.1 | 26.3 | 1.8 | 1.8 | 70.2 | 26.3 | 1.8 | 27.5 | 25.0 | 57.5 | 37.5 | 53.6 | 21.4 |
| | TANGAIL | 10.2 | 9.9 | 15.8 | 63.2 | 21.1 | 0.0 | 0.0 | 57.9 | 42.1 | 0.0 | 26.3 | 5.3 | 73.7 | 57.9 | 100.0 | 5.3 |
| | DIVISIONAL (Rural) | 11.7 | 10.7 | 34.3 | 36.6 | 25.7 | 3.4 | 8.4 | 45.3 | 42.2 | 4.5 | 13.7 | 42.9 | 53.3 | 48.6 | 66.1 | 34.5 |

Note : Except diarrhoea prevalence, all other estimates are precise at Divisional Level.

| | | Prevalence Last 15 Days | | Liquid Given (Both Sex) | | | | Solid Food Given (Both Sex) | | | | Diarrhoea Treated by (Both Sex) | | | Treatment Given (Both Sex) | | |
|-----------------|---------------------------|-------------------------|--------------------|-------------------------|-------------|-------------|------------|-----------------------------|-------------|-------------|------------|---------------------------------|--------------------------|-------------|----------------------------|-------------|-------------|
| DIVISION | DISTRICT RURAL | Boys (under Five) | Girls (under Five) | More | Same | Less | Not Given | More | Same | Less | Not Given | Health Worker | Unqualified Practitioner | Other | ORS | ORT | Medicines |
| KHULNA | | | | | | | | | | | | | | | | | |
| | BAGERHAT | 11.5 | 15.7 | 22.2 | 15.6 | 57.8 | 4.4 | 4.4 | 26.7 | 64.4 | 4.4 | 42.8 | 50.0 | 10.7 | 20.0 | 22.2 | 40.0 |
| | CHUADANGA | 3.5 | 6.0 | 54.5 | 9.1 | 9.1 | 27.3 | 18.2 | 27.3 | 45.4 | 9.1 | 25.0 | 50.0 | 16.7 | 58.3 | 83.3 | 50.0 |
| | JESSORE | 16.1 | 13.3 | 52.3 | 34.1 | 13.6 | 0.0 | 4.4 | 31.1 | 53.3 | 11.1 | 16.7 | 36.1 | 41.7 | 35.6 | 42.2 | 46.7 |
| | JHENAIDAH | 15.0 | 10.2 | 25.8 | 35.5 | 38.7 | 0.0 | 3.2 | 38.7 | 58.1 | 0.0 | 8.0 | 60.0 | 8.0 | 37.5 | 37.5 | 56.3 |
| | KHULNA | 14.0 | 15.2 | 40.0 | 37.5 | 22.5 | 0.0 | 8.1 | 21.6 | 67.6 | 2.7 | 4.2 | 37.5 | 50.0 | 30.8 | 30.8 | 23.1 |
| | KUSHTIA | 6.8 | 11.1 | 28.6 | 32.1 | 28.6 | 7.1 | 10.3 | 58.6 | 27.6 | 3.4 | 13.3 | 60.0 | 26.6 | 13.8 | 13.8 | 24.1 |
| | MAGURA | 2.7 | 7.2 | 80.0 | 13.3 | 6.7 | 0.0 | 33.3 | 6.7 | 46.7 | 13.3 | 40.0 | 10.0 | 70.0 | 60.0 | 66.7 | 6.7 |
| | MEHERPUR | 8.7 | 5.4 | 7.7 | 53.8 | 38.5 | 0.0 | 0.0 | 15.4 | 84.6 | 0.0 | 0.0 | 76.9 | 23.1 | 76.9 | 76.9 | 23.1 |
| | NARAIL | 3.2 | 2.1 | 57.1 | 0.0 | 42.9 | 0.0 | 42.9 | 14.3 | 42.9 | 0.0 | 33.3 | 33.3 | 33.3 | 71.4 | 71.4 | 28.6 |
| | SATKHIRA | 13.0 | 12.9 | 47.7 | 20.5 | 20.5 | 11.3 | 13.6 | 43.2 | 38.6 | 4.5 | 17.6 | 67.6 | 14.7 | 35.6 | 40.0 | 46.7 |
| | DIVISIONAL (Rural) | 11.5 | 12.0 | 38.8 | 31.1 | 25.6 | 4.5 | 9.3 | 32.6 | 52.7 | 5.4 | 18.3 | 50.8 | 26.9 | 33.3 | 41.0 | 35.1 |
| BARISAL | | | | | | | | | | | | | | | | | |
| | BARGUNA | 15.4 | 19.3 | 24.4 | 34.1 | 34.1 | 7.3 | 11.9 | 31.0 | 50.0 | 7.1 | 6.9 | 37.9 | 55.1 | 31.7 | 46.3 | 31.7 |
| | BARISAL | 6.9 | 14.5 | 32.4 | 44.1 | 14.7 | 8.8 | 2.9 | 35.3 | 52.9 | 8.8 | 12.5 | 37.5 | 54.1 | 32.4 | 44.1 | 38.2 |
| | BHOLA | 26.7 | 21.6 | 21.8 | 14.9 | 60.9 | 2.3 | 3.4 | 12.6 | 81.6 | 2.3 | 10.1 | 58.0 | 39.1 | 32.2 | 34.5 | 44.8 |
| | JHALKATHI | 15.2 | 8.8 | 44.1 | 26.5 | 23.5 | 5.9 | 2.9 | 22.9 | 74.3 | 0.0 | 18.2 | 50.0 | 22.7 | 20.0 | 25.7 | 28.6 |
| | PATUAKHALI | 15.4 | 14.2 | 28.9 | 40.0 | 31.1 | 0.0 | 13.3 | 28.9 | 57.8 | 0.0 | 6.7 | 0.0 | 100.0 | 13.3 | 20.0 | 4.4 |
| | PEROJPUR | 11.0 | 8.9 | 34.8 | 56.5 | 8.7 | 0.0 | 4.3 | 43.5 | 30.4 | 21.7 | 36.8 | 26.3 | 36.9 | 43.5 | 60.9 | 34.8 |
| | DIVISIONAL (Rural) | 14.5 | 15.0 | 30.2 | 36.8 | 28.6 | 4.3 | 5.9 | 29.4 | 57.9 | 6.9 | 13.3 | 42.0 | 45.9 | 29.5 | 39.5 | 31.7 |
| RAJSHAHI | | | | | | | | | | | | | | | | | |
| | BOGRA | 12.7 | 12.1 | 75.0 | 15.6 | 9.4 | 0.0 | 12.5 | 65.6 | 21.9 | 0.0 | 30.0 | 26.7 | 50.0 | 71.9 | 84.4 | 25.0 |
| | DINAJPUR | 19.3 | 12.6 | 95.7 | 4.3 | 0.0 | 0.0 | 6.8 | 65.9 | 25.0 | 2.3 | 20.5 | 20.4 | 70.5 | 56.5 | 84.8 | 30.4 |
| | GAIBANDHA | 8.4 | 2.0 | 68.8 | 0.0 | 31.3 | 0.0 | 62.5 | 12.5 | 25.0 | 0.0 | 37.5 | 25.0 | 37.5 | 100.0 | 100.0 | 68.8 |
| | JOYPUKHAT | 13.3 | 14.0 | 84.8 | 12.1 | 0.0 | 3.0 | 17.6 | 64.7 | 14.7 | 2.9 | 30.3 | 66.7 | 3.0 | 79.4 | 88.2 | 47.1 |
| | KURIGRAM | 5.3 | 4.1 | 56.3 | 25.0 | 18.8 | 0.0 | 6.3 | 75.0 | 18.8 | 0.0 | 0.0 | 60.0 | 40.0 | 68.8 | 75.0 | 43.8 |
| | LALMONIRHAT | 1.8 | 1.2 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 | 80.0 | 20.0 | 0.0 | 100.0 | 100.0 | 100.0 |
| | NAOGAON | 11.7 | 16.5 | 85.7 | 14.3 | 0.0 | 0.0 | 0.0 | 97.6 | 2.4 | 0.0 | 69.3 | 28.2 | 23.0 | 85.7 | 85.7 | 71.4 |
| | NATORE | 15.7 | 13.2 | 27.6 | 6.9 | 55.2 | 10.3 | 27.6 | 3.4 | 55.2 | 13.8 | 10.3 | 24.1 | 79.3 | 48.3 | 65.5 | 65.5 |
| | NAWABGANJ | 41.6 | 38.9 | 53.9 | 1.4 | 9.8 | 35.0 | 14.7 | 19.1 | 48.5 | 17.7 | 7.4 | 35.2 | 51.9 | 28.6 | 42.9 | 17.7 |
| | NILPHAMARI | 5.8 | 3.7 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 60.0 | 40.0 | 0.0 | 5.0 | 85.0 | 10.0 | 95.0 | 100.0 | 95.0 |
| | PABNA | 8.2 | 4.8 | 87.5 | 12.5 | 0.0 | 0.0 | 87.5 | 8.3 | 4.2 | 0.0 | 4.3 | 21.7 | 87.0 | 100.0 | 100.0 | 17.4 |
| | PANCHAGARH | 3.3 | 2.7 | 75.0 | 25.0 | 0.0 | 0.0 | 27.3 | 36.4 | 36.4 | 0.0 | 27.3 | 18.2 | 54.5 | 45.5 | 81.8 | 27.3 |
| | RAJSHAHI | 5.3 | 12.0 | 60.9 | 8.7 | 8.7 | 21.7 | 18.2 | 45.5 | 18.2 | 18.2 | 4.5 | 27.3 | 54.5 | 27.3 | 63.6 | 40.9 |
| | RANGPUR | 7.3 | 2.2 | 68.8 | 12.5 | 18.8 | 0.0 | 13.3 | 40.0 | 46.7 | 0.0 | 0.0 | 30.8 | 69.2 | 50.0 | 81.3 | 25.0 |
| | SIRAJGANJ | 20.6 | 21.9 | 63.9 | 31.1 | 1.6 | 3.3 | 8.5 | 88.1 | 3.4 | 0.0 | 18.0 | 78.0 | 2.0 | 71.7 | 70.0 | 53.3 |
| | THAKURGAON | 4.9 | 7.7 | 71.4 | 14.3 | 14.3 | 0.0 | 28.6 | 61.9 | 9.5 | 0.0 | 0.0 | 80.0 | 30.0 | 57.1 | 100.0 | 14.3 |
| | DIVISIONAL (Rural) | 11.9 | 10.8 | 73.2 | 12.2 | 10.7 | 4.0 | 25.2 | 49.9 | 21.8 | 3.1 | 19.0 | 41.3 | 42.3 | 68.6 | 82.9 | 45.2 |

OTHER HEALTH *(all figures in percent)*

| | | Last Pregnancy Delivered by | | Place of Last Delivery | | Tetanus Toxoid | ANC | ARI | When to seek help | | Immunization DPT/POLIO | | | Immunization |
|-------------------|---------------------------|-----------------------------|---------------------|------------------------|-------------|----------------------------------|--------------------------|-------------|---------------------------------|---------------|------------------------|--------------|-------------|--------------|
| DIVISION | DISTRICT RURAL | Trained | Untrained Worker | Health Center | Home | given during last delivery | during last pregnancy | aware | difficult/ fast breathing | don't know | 0 Dose | 1-2 Doses | 3 Doses | Measles |
| CHITTAGONG | | | | | | | | | | | | | | |
| | BANDARBAN | 11.6 | 88.4 | 1.4 | 98.6 | 87.9 | 11.6 | 27.2 | 96.5 | 3.5 | 4.2 | 84.5 | 11.3 | 95.8 |
| | BRAHMANBARIA | 27.2 | 72.8 | 5.9 | 94.1 | 74.3 | 13.2 | 55.5 | 87.5 | 12.5 | 23.8 | 27.0 | 49.2 | 52.5 |
| | CHANDPUR | 15.9 | 84.1 | 4.3 | 95.7 | 74.1 | 15.9 | 67.4 | 93.7 | 6.2 | 5.9 | 25.9 | 68.2 | 83.8 |
| | CHITTAGONG | 9.2 | 90.8 | 3.3 | 96.7 | 77.1 | 60.8 | 93.2 | 98.6 | 1.4 | 19.4 | 41.8 | 38.8 | 75.4 |
| | COMILLA | 7.1 | 92.9 | 0.7 | 99.3 | 80.1 | 12.9 | 65.5 | 77.7 | 22.3 | 6.7 | 25.3 | 64.0 | 69.3 |
| | COX'S BAZAR | 3.6 | 96.4 | 2.2 | 97.8 | 64.2 | 20.4 | 50.9 | 91.5 | 8.5 | 13.0 | 17.6 | 71.8 | 81.5 |
| | FENI | 4.1 | 95.9 | 0.7 | 99.3 | 87.2 | 17.2 | 36.1 | 72.8 | 27.2 | 3.1 | 7.7 | 89.2 | 85.7 |
| | HABIGANJ | 14.2 | 95.8 | 3.2 | 96.8 | 70.5 | 3.8 | 49.9 | 84.2 | 15.8 | 13.9 | 29.1 | 59.4 | 63.9 |
| | KHAGRACHHARI | 2.9 | 97.1 | 0.0 | 100.0 | 58.8 | 21.4 | 54.0 | 97.8 | 2.2 | 7.4 | 44.4 | 48.1 | 88.5 |
| | LAKSHMIPUR | 6.3 | 93.7 | 1.3 | 98.7 | 60.0 | 18.1 | 68.3 | 84.0 | 16.0 | 26.9 | 50.7 | 22.4 | 95.7 |
| | MOULVIBAZAR | 23.2 | 76.7 | 2.6 | 97.4 | 64.3 | 30.3 | 43.0 | 81.2 | 18.8 | 24.6 | 18.8 | 56.5 | 62.5 |
| | NOAKHALI | 3.3 | 96.7 | 1.6 | 98.4 | 62.5 | 20.1 | 50.4 | 63.7 | 36.3 | 23.0 | 28.4 | 48.6 | 69.2 |
| | RANGAMATI | 14.0 | 86.0 | 0.9 | 99.1 | 28.9 | 8.7 | 19.1 | 89.9 | 10.1 | 12.5 | 10.5 | 77.1 | 80.9 |
| | SUNAMGANJ | 7.6 | 92.4 | 0.0 | 100.0 | 57.9 | 3.2 | 39.0 | 87.7 | 12.3 | 24.4 | 17.1 | 58.5 | 63.3 |
| | SYLHET | 7.3 | 92.7 | 3.0 | 97.0 | 54.4 | 25.0 | 47.0 | 79.1 | 34.1 | 34.1 | 24.3 | 41.5 | 48.8 |
| | DIVISIONAL (Rural) | 10.4 | 89.6 | 2.4 | 97.6 | 70.1 | 22.8 | 60.3 | 85.7 | 14.8 | 17.6 | 29.1 | 53.3 | 69.7 |
| DHAKA | | | | | | | | | | | | | | |
| | DHAKA | 5.4 | 94.5 | 3.3 | 96.7 | 83.7 | 8.7 | 20.5 | 94.9 | 5.1 | 0.0 | 23.4 | 76.6 | 86.2 |
| | FARIDPUR | 53.1 | 46.9 | 87.7 | 12.3 | 79.8 | 0.0 | 61.7 | 95.2 | 4.8 | 1.9 | 24.6 | 73.6 | 80.8 |
| | GAZIPUR | 11.0 | 89.0 | 1.1 | 98.9 | 90.1 | 4.4 | 38.4 | 99.0 | 1.0 | 3.1 | 31.2 | 65.6 | 78.1 |
| | GOPALGANJ | 1.8 | 98.2 | 0.0 | 100.0 | 78.2 | 3.6 | 52.1 | 93.4 | 6.6 | 10.6 | 61.7 | 27.7 | 84.8 |
| | JAMALPUR | 0.0 | 100.0 | 0.0 | 100.0 | 59.2 | 7.4 | 57.7 | 84.3 | 15.7 | 39.1 | 26.1 | 34.8 | 43.5 |
| | KISHOREGANJ | 8.2 | 91.8 | 5.7 | 94.3 | 79.6 | 5.7 | 92.5 | 86.6 | 13.4 | 10.0 | 22.0 | 68.0 | 74.0 |
| | MADARIPUR | 7.5 | 92.5 | 1.2 | 98.7 | 68.1 | 9.9 | 33.8 | 100.0 | 0.0 | 14.9 | 18.4 | 66.7 | 63.2 |
| | MANIKGANJ | 18.2 | 81.8 | 1.1 | 98.9 | 77.3 | 10.2 | 55.0 | 83.8 | 16.2 | 5.3 | 47.4 | 47.4 | 92.1 |
| | MUNSHIGANJ | 17.5 | 82.5 | 3.8 | 96.1 | 92.2 | 7.8 | 7.5 | 58.4 | 41.6 | 6.1 | 26.5 | 67.3 | 87.5 |
| | MYMENSINGH | 1.0 | 99.0 | 0.0 | 100.0 | 84.8 | 0.0 | 38.7 | 97.4 | 2.6 | 11.1 | 53.3 | 35.6 | 81.4 |
| | NARAYANGANJ | 11.5 | 88.5 | 2.5 | 97.5 | 78.0 | 39.3 | 55.7 | 86.5 | 13.5 | 3.8 | 15.4 | 80.8 | 86.5 |
| | NARSINGDI | 7.4 | 87.0 | 1.9 | 93.5 | 76.9 | 6.9 | 52.9 | 81.8 | 18.2 | 23.3 | 9.3 | 67.4 | 60.5 |
| | NETROKONA | 3.6 | 96.4 | 2.4 | 97.6 | 63.2 | 1.2 | 10.1 | 84.3 | 15.7 | 27.9 | 25.0 | 47.1 | 65.7 |
| | RAJBARI | 7.9 | 92.1 | 2.4 | 97.6 | 77.9 | 0.8 | 68.6 | 97.7 | 2.3 | 11.3 | 12.9 | 75.8 | 85.0 |
| | SHARIATPUR | 2.1 | 97.9 | 2.7 | 97.3 | 63.2 | 2.7 | 40.0 | 91.1 | 8.9 | 17.4 | 35.3 | 47.1 | 69.6 |
| | SHERPUR | 43.2 | 56.7 | 0.0 | 100.0 | 71.2 | 17.1 | 52.4 | 97.5 | 2.5 | 15.2 | 17.4 | 67.4 | 67.4 |
| | TANGAIL | 10.9 | 89.1 | 1.6 | 98.4 | 73.4 | 14.1 | 60.2 | 76.4 | 23.6 | 16.7 | 20.0 | 63.3 | 63.3 |
| | DIVISIONAL (Rural) | 7.6 | 92.4 | 1.9 | 98.1 | 78.1 | 18.9 | 44.4 | 89.5 | 10.8 | 13.1 | 27.6 | 59.4 | 75.6 |

| | | Last Pregnancy Delivered by | | Place of Last Delivery | | Tetanus Toxoid | ANC | ARI | When to seek help | | Immunization DPT/POLIO | | | Immunization |
|-----------------|---------------------------|-----------------------------|------------------|------------------------|-------------|----------------------------|-----------------------|-------------|---------------------------|-------------|------------------------|-------------|-------------|--------------|
| DIVISION | DISTRICT RURAL | Trained | Untrained Worker | Health Center | Home | given during last delivery | during last pregnancy | aware | difficult/ fast breathing | don't know | 0 Dose | 1-2 Doses | 3 Doses | Measles |
| KHULNA | | | | | | | | | | | | | | |
| | BAGERHAT | 32.0 | 68.0 | 4.1 | 95.9 | 83.6 | 10.2 | 41.8 | 60.0 | 40.0 | 0.0 | 6.3 | 93.7 | 96.2 |
| | CHUADANGA | 7.7 | 92.2 | 6.8 | 93.2 | 84.3 | 1.0 | 14.8 | 82.7 | 17.3 | 4.1 | 22.4 | 73.5 | 85.4 |
| | JESSORE | 17.5 | 82.5 | 6.9 | 93.1 | 84.7 | 30.5 | 63.1 | 65.8 | 34.2 | 2.1 | 2.1 | 95.7 | 83.0 |
| | JHENAI DAH | 17.9 | 82.1 | 6.3 | 93.7 | 93.8 | 9.7 | 70.6 | 92.8 | 7.2 | 4.9 | 3.3 | 91.8 | 90.2 |
| | KHULNA | 8.1 | 91.9 | 1.0 | 99.0 | 76.0 | 12.0 | 44.9 | 85.9 | 14.1 | 2.0 | 16.0 | 82.0 | 87.0 |
| | KUSHTIA | 19.4 | 80.6 | 4.0 | 95.9 | 85.6 | 8.0 | 42.1 | 98.5 | 1.4 | 3.4 | 6.9 | 89.7 | 86.0 |
| | MAGURA | 5.8 | 94.1 | 1.9 | 98.1 | 93.2 | 25.2 | 19.8 | 94.3 | 5.7 | 1.8 | 12.7 | 85.1 | 89.1 |
| | MEHERPUR | 30.9 | 69.1 | 13.2 | 86.7 | 91.2 | 7.4 | 28.4 | 99.2 | 0.7 | 0.0 | 12.1 | 87.9 | 93.9 |
| | NARAIL | 7.8 | 99.2 | 1.0 | 99.0 | 85.4 | 15.5 | 29.7 | 97.8 | 2.2 | 0.0 | 4.2 | 95.8 | 87.5 |
| | SATKHIRA | 18.5 | 81.5 | 2.5 | 97.5 | 83.9 | 12.1 | 39.0 | 97.9 | 2.1 | 8.2 | 22.0 | 69.8 | 91.4 |
| | DIVISIONAL (Rural) | 17.3 | 82.7 | 4.5 | 95.5 | 84.8 | 14.3 | 45.1 | 84.1 | 15.9 | 3.4 | 10.9 | 85.7 | 88.7 |
| BARISAL | | | | | | | | | | | | | | |
| | BARGUNA | 12.0 | 88.0 | 2.2 | 97.8 | 70.0 | 16.7 | 12.8 | 64.3 | 35.7 | 15.4 | 13.4 | 71.2 | 88.2 |
| | BARISAL | 17.4 | 82.6 | 2.3 | 97.7 | 82.6 | 16.7 | 40.4 | 66.3 | 33.7 | 1.7 | 12.3 | 86.0 | 80.3 |
| | BHOLA | 5.6 | 94.4 | 0.0 | 100.0 | 59.0 | 13.4 | 20.1 | 79.2 | 20.8 | 8.1 | 8.0 | 83.9 | 72.1 |
| | JHALKATHI | 12.1 | 87.8 | 2.8 | 97.2 | 74.0 | 24.0 | 41.6 | 95.2 | 4.8 | 4.1 | 14.3 | 81.6 | 77.6 |
| | PATUAKHALI | 0.0 | 100.0 | 1.1 | 98.8 | 46.6 | 3.3 | 6.3 | 71.4 | 28.6 | 26.5 | 38.2 | 35.3 | 78.1 |
| | PEROJPUR | 22.5 | 77.5 | 2.9 | 97.1 | 87.3 | 52.0 | 41.4 | 96.3 | 5.9 | 2.9 | 0.0 | 97.1 | 84.8 |
| | DIVISIONAL (Rural) | 11.7 | 88.3 | 1.8 | 98.6 | 70.1 | 19.8 | 27.7 | 76.1 | 23.8 | 10.5 | 16.4 | 73.1 | 79.6 |
| RAJSHAHI | | | | | | | | | | | | | | |
| | BOGRA | 23.7 | 76.3 | 0.0 | 100.0 | 88.5 | 10.6 | 95.8 | 100.0 | 0.0 | 0.0 | 4.3 | 95.7 | 95.7 |
| | DINAJPUR | 17.2 | 82.8 | 8.1 | 91.9 | 83.7 | 30.9 | 86.3 | 100.0 | 0.0 | 4.1 | 4.1 | 91.8 | 89.6 |
| | GAIBANDHA | 5.4 | 94.6 | 0.9 | 99.1 | 75.9 | 14.3 | 80.0 | 99.2 | 0.7 | 5.0 | 15.0 | 80.0 | 57.5 |
| | JOYPU RHAT | 14.6 | 85.4 | 2.0 | 98.0 | 87.9 | 41.8 | 73.3 | 94.2 | 5.8 | 0.0 | 37.0 | 63.0 | 93.8 |
| | KURIGRAM | 11.0 | 89.0 | 1.4 | 98.6 | 74.3 | 15.3 | 88.5 | 100.0 | 0.0 | 7.5 | 46.3 | 46.3 | 76.1 |
| | LALMONIRHAT | 27.2 | 72.8 | 2.4 | 97.6 | 85.9 | 85.0 | 99.2 | 100.0 | 0.0 | 1.9 | 0.0 | 98.1 | 98.1 |
| | NAOGAON | 5.6 | 94.3 | 1.9 | 98.1 | 85.0 | 14.0 | 96.4 | 99.6 | 0.4 | 2.0 | 2.0 | 96.0 | 92.0 |
| | NATORE | 8.7 | 91.3 | 2.9 | 97.1 | 82.3 | 1.4 | 64.8 | 87.8 | 12.2 | 7.3 | 0.0 | 92.7 | 87.8 |
| | NAWABGANJ | 6.2 | 93.8 | 1.6 | 98.4 | 86.0 | 67.8 | 65.8 | 82.9 | 17.1 | 1.5 | 1.5 | 97.0 | 95.2 |
| | NILPHAMARI | 6.6 | 93.4 | 1.3 | 98.7 | 83.3 | 48.3 | 63.8 | 78.0 | 22.0 | 0.0 | 0.0 | 100.0 | 100.0 |
| | PABNA | 10.2 | 89.8 | 3.9 | 96.1 | 85.6 | 26.8 | 97.5 | 91.2 | 8.8 | 1.4 | 2.8 | 95.7 | 88.4 |
| | PANCHAGARH | 22.1 | 77.8 | 0.8 | 99.2 | 87.8 | 5.3 | 95.7 | 99.6 | 0.4 | 2.8 | 11.1 | 86.1 | 85.9 |
| | RAJSHAHI | 6.0 | 94.0 | 4.0 | 96.0 | 85.8 | 10.0 | 30.6 | 99.3 | 0.6 | 1.9 | 28.8 | 69.2 | 84.6 |
| | RANGPUR | 3.3 | 96.7 | 0.8 | 99.2 | 76.5 | 11.7 | 80.1 | 100.0 | 0.0 | 2.5 | 15.0 | 82.5 | 70.7 |
| | SIRAJGANJ | 0.0 | 99.9 | 0.0 | 100.0 | 80.4 | 30.6 | 84.5 | 96.2 | 3.8 | 2.1 | 25.5 | 72.3 | 76.6 |
| | THAKURGAON | 2.9 | 97.1 | 1.0 | 99.0 | 94.2 | 7.7 | 38.3 | 100.0 | 0.0 | 2.1 | 4.3 | 93.6 | 97.9 |
| | DIVISIONAL (Rural) | 10.2 | 89.8 | 2.2 | 97.9 | 82.6 | 23.1 | 79.1 | 96.2 | 3.8 | 2.8 | 12.5 | 84.6 | 85.4 |

WATER & SANITATION (all figures in percent)

| | | Source of Drinking Water | | | | Source of Water for Household Work | | | | Type of Latrine | | | | Hand Washing After Defecation | | | |
|-------------------|---------------------------|--------------------------|------------|------------|------------|------------------------------------|------------|------------|-------------|-----------------|-------------|-------------|-------------|-------------------------------|----------------|--------------------|------------|
| DIVISION | DISTRICT RURAL | Tubewell | Tap | Ringwell | Other | Tubewell | Tap | Ringwell | Other | Waterseal | Pit | Hanging | Other | Water Only | Water and soap | Water and ash/soil | Other |
| CHITTAGONG | | | | | | | | | | | | | | | | | |
| | BANDARBAN | 38.2 | 0.0 | 6.9 | 54.9 | 1.0 | 0.0 | 0.0 | 99.3 | 7.6 | 20.5 | 56.6 | 15.3 | 84.3 | 3.5 | 14.0 | 0.3 |
| | BRAHMANBARIA | 96.5 | 0.0 | 0.6 | 3.3 | 49.7 | 0.0 | 0.2 | 78.3 | 9.4 | 16.5 | 71.8 | 3.1 | 40.1 | 28.0 | 69.9 | 1.1 |
| | CHANDPUR | 97.3 | 0.4 | 0.0 | 3.0 | 23.8 | 0.4 | 3.1 | 91.9 | 5.3 | 17.5 | 76.3 | 2.7 | 36.4 | 68.2 | 79.9 | 1.3 |
| | CHITTAGONG | 91.5 | 0.0 | 6.3 | 2.2 | 30.9 | 0.0 | 5.9 | 82.7 | 5.9 | 45.7 | 43.8 | 6.8 | 55.2 | 27.6 | 26.2 | 1.8 |
| | COMILLA | 99.8 | 0.0 | 0.0 | 1.1 | 35.7 | 2.1 | 3.4 | 83.8 | 7.4 | 35.5 | 54.3 | 7.2 | 42.8 | 53.6 | 59.8 | 1.3 |
| | COX'S BAZAAR | 97.3 | 2.1 | 1.5 | 0.0 | 52.2 | 1.9 | 4.2 | 61.6 | 4.6 | 48.3 | 43.0 | 6.5 | 72.5 | 12.7 | 24.2 | 0.5 |
| | FENI | 100.0 | 0.0 | 0.0 | 20.3 | 23.2 | 0.0 | 4.6 | 89.4 | 5.3 | 33.3 | 53.9 | 10.8 | 45.5 | 69.3 | 55.7 | 0.0 |
| | HABIGANJ | 98.1 | 0.0 | 0.0 | 4.8 | 18.5 | 0.0 | 0.0 | 93.6 | 2.1 | 38.3 | 58.4 | 1.9 | 60.6 | 14.5 | 62.1 | 0.7 |
| | KHAGRACHHARI | 55.3 | 3.7 | 25.6 | 17.9 | 30.6 | 3.7 | 36.1 | 35.6 | 2.1 | 43.3 | 49.8 | 7.4 | 68.8 | 10.7 | 21.0 | 8.5 |
| | LAKSHMIPUR | 98.3 | 0.0 | 0.0 | 2.6 | 15.9 | 0.4 | 0.0 | 91.9 | 10.0 | 21.4 | 66.2 | 4.4 | 43.8 | 62.0 | 63.1 | 1.1 |
| | MOULVIBAZAR | 72.1 | 4.8 | 21.0 | 4.4 | 35.4 | 1.9 | 19.1 | 55.6 | 12.6 | 27.7 | 45.8 | 14.9 | 39.9 | 43.5 | 51.8 | 0.3 |
| | NOAKHALI | 98.5 | 0.4 | 0.0 | 2.0 | 8.9 | 0.0 | 0.0 | 98.3 | 2.2 | 20.4 | 79.8 | 0.7 | 89.9 | 34.0 | 41.2 | 0.0 |
| | RANGAMATI | 28.9 | 9.1 | 8.6 | 55.8 | 5.5 | 8.9 | 7.2 | 82.7 | 2.4 | 45.2 | 48.1 | 4.3 | 76.2 | 10.0 | 9.5 | 6.7 |
| | SUNAMGANJ | 83.8 | 0.0 | 11.9 | 5.6 | 10.6 | 0.0 | 11.3 | 85.1 | 1.8 | 3.4 | 90.8 | 4.7 | 56.7 | 5.0 | 52.9 | 0.0 |
| | SYLHET | 86.6 | 0.0 | 0.2 | 19.1 | 31.9 | 0.4 | 1.5 | 81.8 | 12.6 | 39.3 | 49.8 | 1.7 | 59.7 | 29.7 | 55.6 | 0.3 |
| | DIVISIONAL (Rural) | 91.8 | 0.6 | 3.7 | 6.0 | 28.5 | 0.8 | 4.6 | 83.0 | 6.5 | 31.5 | 58.9 | 5.4 | 54.3 | 35.7 | 49.6 | 1.1 |
| DHAKA | | | | | | | | | | | | | | | | | |
| | DHAKA | 100.0 | 0.0 | 0.0 | 0.2 | 78.0 | 0.2 | 0.0 | 30.8 | 7.1 | 20.7 | 70.9 | 1.7 | 5.4 | 41.7 | 61.9 | 0.0 |
| | FARIDPUR | 100.0 | 0.0 | 0.0 | 0.2 | 98.3 | 0.0 | 0.0 | 97.3 | 15.9 | 46.9 | 38.3 | 0.2 | 44.8 | 13.1 | 53.7 | 0.3 |
| | GAZIPUR | 100.0 | 0.0 | 0.4 | 0.2 | 99.2 | 0.0 | 0.8 | 1.0 | 28.2 | 35.8 | 8.4 | 27.6 | 15.2 | 27.0 | 42.0 | 16.4 |
| | GOPALGANJ | 99.6 | 0.0 | 0.0 | 0.4 | 36.8 | 0.0 | 0.2 | 63.0 | 12.3 | 23.9 | 62.2 | 1.6 | 1.8 | 10.8 | 87.3 | 0.0 |
| | JAMALPUR | 99.8 | 0.0 | 2.5 | 0.2 | 95.5 | 0.0 | 11.6 | 42.0 | 2.0 | 43.0 | 43.6 | 11.6 | 0.7 | 31.1 | 68.2 | 0.0 |
| | KISHOREGANJ | 98.9 | 0.0 | 1.1 | 0.0 | 59.1 | 2.1 | 8.7 | 82.0 | 3.2 | 17.6 | 74.7 | 4.6 | 12.8 | 7.8 | 84.8 | 0.3 |
| | MADARIPUR | 100.0 | 0.0 | 0.0 | 0.4 | 41.1 | 0.0 | 0.0 | 95.8 | 9.1 | 31.3 | 52.6 | 7.9 | 12.3 | 32.4 | 86.5 | 4.4 |
| | MANIKGANJ | 97.0 | 0.0 | 3.0 | 0.2 | 65.7 | 0.0 | 5.1 | 33.4 | 14.9 | 25.5 | 59.2 | 0.4 | 8.2 | 32.1 | 77.3 | 0.0 |
| | MUNSHIGANJ | 100.0 | 0.0 | 0.0 | 0.2 | 48.2 | 0.0 | 8.1 | 62.6 | 4.4 | 28.5 | 67.3 | 0.0 | 56.3 | 44.2 | 28.2 | 0.5 |
| | MYMENSINGH | 100.0 | 0.0 | 0.0 | 0.0 | 81.5 | 0.0 | 1.6 | 53.4 | 1.2 | 50.7 | 1.2 | 46.9 | 5.1 | 1.3 | 93.4 | 0.3 |
| | NARAYANGANJ | 100.0 | 0.0 | 0.6 | 0.4 | 91.1 | 0.8 | 6.0 | 33.0 | 5.8 | 24.5 | 66.8 | 3.4 | 67.9 | 23.0 | 43.2 | 0.3 |
| | NARSINGDI | 97.5 | 0.6 | 3.2 | 0.4 | 92.2 | 0.6 | 6.1 | 29.7 | 18.4 | 31.6 | 22.6 | 27.8 | 66.8 | 20.4 | 64.6 | 0.2 |
| | NETROKONA | 98.8 | 0.0 | 1.6 | 0.0 | 63.6 | 0.4 | 23.8 | 53.3 | 4.8 | 10.3 | 27.7 | 57.6 | 51.3 | 10.5 | 40.0 | 0.0 |
| | RAJBARI | 99.4 | 0.0 | 0.6 | 0.4 | 97.2 | 0.0 | 6.5 | 20.6 | 6.7 | 38.3 | 47.8 | 7.5 | 1.0 | 5.7 | 96.0 | 0.0 |
| | SHARIATPUR | 100.0 | 0.0 | 0.0 | 0.2 | 11.9 | 0.0 | 0.0 | 96.6 | 5.5 | 23.4 | 62.1 | 8.9 | 16.0 | 5.5 | 83.7 | 0.3 |
| | SHERPUR | 92.6 | 0.0 | 8.0 | 0.0 | 81.6 | 0.0 | 13.5 | 18.6 | 6.0 | 56.6 | 21.0 | 16.4 | 7.4 | 14.6 | 80.2 | 10.4 |
| | TANGAIL | 99.8 | 0.0 | 0.2 | 0.5 | 76.4 | 0.0 | 1.7 | 44.1 | 3.9 | 31.6 | 35.4 | 29.2 | 62.2 | 16.1 | 48.7 | 2.2 |
| | DIVISIONAL (Rural) | 99.3 | 0.0 | 0.9 | 0.2 | 75.2 | 0.3 | 4.7 | 47.5 | 7.7 | 31.2 | 44.3 | 17.0 | 24.4 | 21.2 | 66.2 | 1.6 |

| | | Source of Drinking Water | | | | Source of Water for Household Work | | | | Type of Latrine | | | | Hand Washing After Defecation | | | |
|----------|--------------------|--------------------------|-----|----------|-------|------------------------------------|-----|----------|-------|-----------------|------|---------|-------|-------------------------------|-------------------|-----------------------|-------|
| DIVISION | DISTRICT RURAL | Tubewell | Tap | Ringwell | Other | Tubewell | Tap | Ringwell | Other | Waterseal | Pit | Hanging | Other | Water Only | Water and soap | Water and ash/soil | Other |
| KHULNA | | | | | | | | | | | | | | | | | |
| | BAGERHAT | 69.4 | 4.7 | 0.0 | 25.9 | 4.1 | 2.0 | 0.4 | 93.9 | 15.7 | 38.2 | 43.3 | 2.9 | 1.7 | 17.4 | 82.6 | 0.4 |
| | CHUADANGA | 100.0 | 0.0 | 0.0 | 0.2 | 97.6 | 0.0 | 0.4 | 50.2 | 7.8 | 19.4 | 12.4 | 62.1 | 49.0 | 8.2 | 50.2 | 0.4 |
| | JESSORE | 100.0 | 0.0 | 0.0 | 0.2 | 68.1 | 0.2 | 1.2 | 72.9 | 8.7 | 37.6 | 21.1 | 34.2 | 3.8 | 12.0 | 86.1 | 0.5 |
| | JHENAIDAH | 100.0 | 0.0 | 0.4 | 0.2 | 89.8 | 0.0 | 13.9 | 49.9 | 12.8 | 21.6 | 9.0 | 58.5 | 0.0 | 11.3 | 92.2 | 0.5 |
| | KHULNA | 73.1 | 0.0 | 0.0 | 26.9 | 44.4 | 0.0 | 0.0 | 87.9 | 13.6 | 50.6 | 29.2 | 6.6 | 2.6 | 11.2 | 87.6 | 10.9 |
| | KUSHTIA | 99.6 | 0.0 | 0.2 | 0.4 | 83.7 | 0.0 | 0.2 | 28.2 | 14.7 | 34.1 | 15.7 | 37.3 | 0.7 | 15.9 | 89.7 | 0.0 |
| | MAGURA | 100.0 | 0.0 | 0.0 | 0.0 | 75.0 | 0.2 | 0.9 | 24.5 | 7.7 | 32.5 | 41.6 | 18.4 | 6.2 | 13.0 | 44.0 | 38.3 |
| | MEHERPUR | 99.2 | 0.0 | 0.8 | 0.0 | 94.6 | 0.0 | 2.7 | 5.8 | 9.9 | 29.2 | 33.4 | 27.5 | 1.1 | 7.9 | 92.1 | 0.6 |
| | NARAIL | 100.0 | 0.0 | 0.0 | 0.0 | 27.5 | 0.0 | 0.0 | 73.1 | 16.7 | 45.0 | 19.7 | 19.0 | 19.0 | 7.8 | 76.0 | 0.0 |
| | SATKHIRA | 78.0 | 0.0 | 0.0 | 22.0 | 29.9 | 0.0 | 0.0 | 80.0 | 4.6 | 43.7 | 18.7 | 33.1 | 0.4 | 9.8 | 92.9 | 0.0 |
| | DIVISIONAL (Rural) | 84.3 | 0.5 | 0.1 | 10.1 | 56.3 | 0.3 | 1.9 | 60.2 | 10.9 | 37.3 | 23.4 | 28.7 | 4.9 | 11.6 | 79.0 | 2.6 |
| BARISAL | | | | | | | | | | | | | | | | | |
| | BARGUNA | 93.9 | 0.0 | 0.0 | 6.8 | 15.2 | 0.0 | 0.0 | 90.5 | 2.9 | 61.2 | 33.8 | 2.0 | 8.5 | 15.3 | 85.2 | 1.6 |
| | BARISAL | 99.5 | 0.0 | 0.0 | 0.5 | 15.0 | 1.4 | 0.0 | 89.1 | 6.6 | 54.9 | 37.9 | 1.1 | 9.1 | 26.0 | 80.3 | 1.4 |
| | BHOLA | 94.3 | 0.0 | 0.0 | 9.0 | 22.3 | 0.0 | 0.0 | 85.3 | 0.5 | 23.2 | 74.4 | 2.2 | 20.2 | 29.1 | 85.4 | 0.4 |
| | JHALKATHI | 88.2 | 0.0 | 0.0 | 13.3 | 23.0 | 0.0 | 0.0 | 86.2 | 6.4 | 53.9 | 38.2 | 3.1 | 4.9 | 18.5 | 89.8 | 3.4 |
| | PATUAKHALI | 99.2 | 0.0 | 0.0 | 1.3 | 17.2 | 0.0 | 0.0 | 94.7 | 0.2 | 30.4 | 69.6 | 0.0 | 26.2 | 3.0 | 77.7 | 1.5 |
| | PEROJPUR | 79.7 | 0.0 | 0.4 | 21.8 | 20.0 | 0.2 | 0.0 | 90.5 | 9.9 | 66.7 | 20.7 | 3.7 | 15.8 | 33.9 | 58.2 | 4.5 |
| | DIVISIONAL (Rural) | 94.0 | 0.0 | 0.1 | 7.1 | 18.3 | 0.4 | 0.0 | 89.4 | 4.4 | 46.7 | 47.7 | 1.8 | 14.8 | 22.0 | 79.1 | 1.9 |
| RAJSHAHI | | | | | | | | | | | | | | | | | |
| | BOGRA | 99.8 | 4.0 | 4.2 | 4.0 | 73.9 | 0.0 | 6.2 | 32.7 | 7.0 | 57.3 | 22.0 | 13.8 | 26.2 | 6.3 | 70.6 | 0.0 |
| | DINAJPUR | 99.1 | 0.0 | 1.1 | 0.2 | 93.7 | 0.4 | 4.3 | 11.9 | 10.6 | 24.9 | 1.1 | 63.3 | 1.9 | 25.6 | 84.7 | 0.0 |
| | GAIBANDHA | 95.6 | 0.2 | 4.2 | 0.0 | 90.4 | 0.0 | 16.0 | 31.4 | 12.4 | 37.4 | 0.0 | 50.2 | 0.0 | 9.2 | 95.2 | 0.0 |
| | JOYPURHAT | 100.0 | 0.0 | 0.0 | 0.4 | 96.0 | 0.0 | 1.8 | 22.9 | 18.9 | 30.3 | 1.8 | 49.6 | 4.4 | 13.8 | 82.0 | 0.4 |
| | KURIGRAM | 98.6 | 0.4 | 1.4 | 0.0 | 93.8 | 0.4 | 4.1 | 51.7 | 8.4 | 43.9 | 4.5 | 43.3 | 25.3 | 15.4 | 95.3 | 0.2 |
| | LALMONIRHAT | 91.3 | 0.0 | 8.7 | 0.0 | 83.9 | 0.2 | 18.1 | 0.0 | 9.5 | 56.3 | 18.8 | 15.5 | 7.8 | 0.2 | 97.0 | 0.2 |
| | NAOGAON | 92.2 | 0.0 | 8.0 | 0.0 | 81.2 | 0.0 | 3.2 | 60.5 | 17.7 | 30.1 | 18.1 | 34.3 | 1.6 | 16.1 | 91.7 | 0.0 |
| | NATORE | 100.0 | 0.0 | 0.9 | 0.0 | 34.8 | 0.0 | 2.5 | 77.6 | 4.3 | 58.0 | 18.7 | 22.5 | 0.0 | 4.7 | 96.0 | 0.4 |
| | NAWABGANJ | 99.0 | 4.0 | 5.2 | 4.0 | 55.2 | 0.0 | 6.2 | 46.0 | 4.8 | 49.3 | 8.8 | 37.5 | 0.2 | 2.0 | 90.0 | 8.2 |
| | NILPHAMARI | 67.4 | 0.2 | 33.0 | 0.0 | 63.4 | 0.0 | 38.9 | 4.2 | 13.0 | 20.8 | 0.0 | 66.1 | 16.7 | 26.3 | 83.7 | 0.0 |
| | PABNA | 97.8 | 0.0 | 3.1 | 0.4 | 95.5 | 0.0 | 2.7 | 73.6 | 9.2 | 41.4 | 44.3 | 6.9 | 7.1 | 32.8 | 76.1 | 23.5 |
| | PANCHAGARH | 84.2 | 0.0 | 12.6 | 3.9 | 58.6 | 0.8 | 27.0 | 22.4 | 19.5 | 38.3 | 0.2 | 42.0 | 1.0 | 7.1 | 91.2 | 1.0 |
| | RAJSHAHI | 97.3 | 4.4 | 9.6 | 6.9 | 94.6 | 0.0 | 1.9 | 87.3 | 9.4 | 54.1 | 3.7 | 32.9 | 16.4 | 18.3 | 69.7 | 36.3 |
| | RANGPUR | 98.2 | 0.2 | 1.6 | 0.0 | 67.5 | 0.2 | 22.2 | 10.8 | 24.4 | 18.0 | 0.6 | 56.9 | 8.0 | 15.9 | 87.1 | 0.2 |
| | SIRAJGANJ | 97.7 | 0.0 | 2.3 | 0.0 | 86.4 | 0.0 | 3.8 | 17.0 | 12.8 | 54.0 | 23.0 | 10.4 | 0.0 | 8.8 | 94.7 | 0.0 |
| | THAKURGAON | 96.1 | 0.2 | 3.9 | 0.0 | 94.3 | 4.7 | 8.5 | 2.4 | 8.5 | 26.8 | 1.4 | 63.3 | 54.8 | 5.7 | 76.1 | 1.0 |
| | DIVISIONAL (Rural) | 95.5 | 1.0 | 5.6 | 1.3 | 80.2 | 0.3 | 9.4 | 36.6 | 11.9 | 40.3 | 11.8 | 36.4 | 10.3 | 14.1 | 85.6 | 4.8 |


EDUCATION

| | | Enrollment 6-10 Years | | Attendance Last 3 Days | | Primary Education* | | | | Literacy |
|-------------------|---------------------------|-----------------------|--------------------|------------------------|--------------------|--------------------|--------------|----------------|--------------------|--------------|
| DIVISION | DISTRICT | BOYS (%) RURAL | GIRLS (%) RURAL | BOYS (%) RURAL | GIRLS (%) RURAL | SCHOOL | TEACHER | STUDENT | STUDENT/ SCHOOL | 7 + YRS. (%) |
| CHITTAGONG | | | | | | | | | | |
| | BANDARBAN | 67.1 | 67.5 | 47.3 | 52.2 | 288 | 741 | 25314 | 88 | 23.8 |
| | BRAHMANBARIA | 83.7 | 80.4 | 64.3 | 71.4 | 915 | 3067 | 306793 | 335 | 26.6 |
| | CHANDPUR | 96.7 | 91.0 | 59.9 | 58.7 | 961 | 3784 | 338383 | 352 | 37.8 |
| | CHITTAGONG | 82.9 | 78.8 | 68.7 | 53.2 | 1977 | 8284 | 745220 | 377 | 43.2 |
| | COMILLA | 78.9 | 80.2 | 65.4 | 67.6 | 1657 | 6676 | 662630 | 400 | 33.1 |
| | COX'S BAZAAR | 74.6 | 63.6 | 67.5 | 60.1 | 556 | 1862 | 189495 | 341 | 21.9 |
| | FENI | 84.8 | 92.6 | 64.0 | 59.9 | 484 | 1790 | 186441 | 385 | 40.7 |
| | HABIGANJ | 73.6 | 71.1 | 54.4 | 48.3 | 938 | 2171 | 163611 | 174 | 24.7 |
| | KHAGRACHHARI | 82.9 | 78.6 | 57.0 | 54.2 | 387 | 1308 | 51471 | 133 | 24.5 |
| | LAKSHMIPUR | 85.6 | 90.6 | 49.7 | 56.3 | 635 | 2207 | 216544 | 341 | 34.3 |
| | MOULVIBAZAR | 83.1 | 76.0 | 57.1 | 49.0 | 948 | 2221 | 191307 | 202 | 30.8 |
| | NOAKHALI | 74.9 | 76.1 | 60.6 | 65.8 | 1068 | 3385 | 359961 | 337 | 37.1 |
| | RANGAMATI | 85.5 | 77.3 | 36.2 | 30.8 | 455 | 1486 | 55375 | 122 | 36.5 |
| | SUNAMGANJ | 79.3 | 75.8 | 42.4 | 50.0 | 1141 | 2418 | 196807 | 172 | 22.3 |
| | SYLHET | 85.0 | 86.0 | 62.5 | 58.5 | 1276 | 3436 | 327591 | 257 | 33.8 |
| | DIVISIONAL (Rural) | 81.9 | 79.8 | 60.9 | 58.1 | 13686 | 44834 | 4016943 | 294 | 33.8 |
| DHAKA | | | | | | | | | | |
| | DHAKA | 89.5 | 90.4 | 75.8 | 68.8 | 1001 | 4980 | 641478 | 641 | 53.9 |
| | FARIDPUR | 85.9 | 90.8 | 63.6 | 62.5 | 741 | 2231 | 244550 | 330 | 27.8 |
| | GAZIPUR | 93.3 | 95.3 | 64.9 | 76.1 | 1034 | 2683 | 252411 | 244 | 36.6 |
| | GOPALGANJ | 88.7 | 97.1 | 60.6 | 58.3 | 821 | 2085 | 139306 | 170 | 38.2 |
| | JAMALPUR | 59.5 | 55.9 | 61.4 | 75.6 | 837 | 2222 | 248730 | 297 | 21.5 |
| | KISHOREGANJ | 83.9 | 90.9 | 75.6 | 76.5 | 1202 | 3246 | 290126 | 241 | 23.3 |
| | MADARIPUR | 85.8 | 86.0 | 50.5 | 55.1 | 600 | 1687 | 143484 | 239 | 32.6 |
| | MANIKGANJ | 73.4 | 73.0 | 56.1 | 56.7 | 579 | 2097 | 171244 | 296 | 26.9 |
| | MUNSHIGANJ | 83.2 | 89.7 | 39.5 | 38.1 | 555 | 2089 | 186338 | 336 | 35.8 |
| | MYMENSINGH | 74.1 | 71.0 | 49.0 | 52.2 | 3367 | 4793 | 512836 | 152 | 25.5 |
| | NARAYANGANJ | 79.5 | 77.6 | 45.7 | 47.2 | 632 | 2070 | 240465 | 380 | 39.8 |
| | NARSINGDI | 80.1 | 90.4 | 61.4 | 59.6 | 684 | 2685 | 204369 | 299 | 29.6 |
| | NETROKONA | 74.7 | 81.9 | 53.3 | 53.9 | 990 | 2301 | 223027 | 225 | 26.0 |
| | RAJBARI | 68.6 | 57.7 | 58.3 | 61.6 | 412 | 1097 | 120884 | 293 | 26.4 |
| | SHARIATPUR | 87.4 | 87.3 | 40.4 | 36.1 | 556 | 1446 | 138731 | 250 | 24.4 |
| | SHERPUR | 63.4 | 64.9 | 63.6 | 68.9 | 559 | 1309 | 151515 | 271 | 19.5 |
| | TANGAIL | 70.9 | 73.7 | 41.0 | 49.1 | 1340 | 4062 | 386935 | 289 | 29.4 |
| | DIVISIONAL (Rural) | 79.6 | 81.3 | 58.5 | 60.0 | 15905 | 43083 | 4296429 | 270 | 33.5 |

* Source: DPE Monitoring Div. Jan-Mar 1994

| | | Enrollment 6-10 Years | | Attendance Last 3 Days | | Primary Education* | | | | Literacy |
|-----------------|---------------------------|-----------------------|--------------------|------------------------|--------------------|--------------------|--------------|----------------|--------------------|-------------|
| DIVISION | DISTRICT | BOYS (%) RURAL | GIRLS (%) RURAL | BOYS (%) RURAL | GIRLS (%) RURAL | SCHOOL | TEACHER | STUDENT | STUDENT/ SCHOOL | 7+ YRS. (%) |
| KHULNA | | | | | | | | | | |
| | BAGERHAT | 89.0 | 93.9 | 62.4 | 66.7 | 1101 | 2253 | 168064 | 153 | 44.3 |
| | CHUADANGA | 80.6 | 83.6 | 69.2 | 78.7 | 355 | 1109 | 112388 | 317 | 25.2 |
| | JESSORE | 88.8 | 91.9 | 65.5 | 73.2 | 1053 | 2873 | 318383 | 302 | 33.4 |
| | JHENAI DAH | 87.8 | 94.6 | 72.8 | 80.5 | 654 | 1750 | 211875 | 324 | 25.9 |
| | KHULNA | 80.9 | 84.3 | 60.9 | 63.6 | 1039 | 2773 | 274432 | 264 | 43.9 |
| | KUSHTIA | 79.7 | 82.4 | 84.1 | 86.0 | 593 | 1807 | 212761 | 359 | 25.8 |
| | MAGURA | 89.7 | 83.5 | 75.5 | 71.6 | 424 | 1186 | 115674 | 273 | 28.2 |
| | MEHERPUR | 78.8 | 88.0 | 68.8 | 76.0 | 228 | 651 | 71726 | 315 | 23.1 |
| | NARAIL | 92.7 | 89.5 | 52.6 | 60.4 | 430 | 1220 | 98457 | 229 | 35.7 |
| | SATKHIRA | 83.2 | 86.7 | 71.4 | 72.0 | 888 | 2383 | 217181 | 245 | 30.5 |
| | DIVISIONAL (Rural) | 84.6 | 88.1 | 69.3 | 73.4 | 6765 | 18005 | 1800941 | 266 | 33.1 |
| BARISAL | | | | | | | | | | |
| | BARGUNA | 89.8 | 92.2 | 69.9 | 76.8 | 583 | 1572 | 111739 | 192 | 40.1 |
| | BARISAL | 87.4 | 87.4 | 57.5 | 64.9 | 1369 | 4036 | 296739 | 217 | 43.0 |
| | BHOLA | 87.2 | 80.8 | 65.0 | 67.4 | 760 | 1758 | 226932 | 299 | 23.9 |
| | JHALKATHI | 88.7 | 88.6 | 68.2 | 68.9 | 511 | 1526 | 88965 | 174 | 51.2 |
| | PATUAKHALI | 78.7 | 81.9 | 53.0 | 47.6 | 957 | 2551 | 193310 | 202 | 36.4 |
| | PEROJPUR | 90.9 | 93.4 | 58.2 | 66.9 | 835 | 2406 | 137416 | 165 | 48.6 |
| | DIVISIONAL (Rural) | 86.7 | 86.6 | 60.5 | 64.3 | 5015 | 13849 | 1055101 | 210 | 39.6 |
| RAJSHAHI | | | | | | | | | | |
| | BOGRA | 72.3 | 76.4 | 40.3 | 59.0 | 1384 | 3836 | 351876 | 254 | 28.4 |
| | DINAJPUR | 83.3 | 82.6 | 54.4 | 60.5 | 1480 | 3249 | 317823 | 215 | 29.8 |
| | GAIBANDHA | 80.6 | 81.3 | 77.4 | 84.1 | 1146 | 2992 | 60423 | 53 | 24.3 |
| | JOYPU RHAT | 79.6 | 84.4 | 68.7 | 77.0 | 351 | 1010 | 93779 | 267 | 30.2 |
| | KURIGRAM | 81.3 | 74.8 | 53.3 | 60.3 | 927 | 2459 | 208989 | 225 | 22.3 |
| | LALMONIRHAT | 86.3 | 90.3 | 75.5 | 77.4 | 497 | 1170 | 135523 | 273 | 23.8 |
| | NAOGAON | 90.3 | 87.1 | 69.9 | 70.3 | 1119 | 3095 | 282115 | 252 | 28.4 |
| | NATORE | 83.6 | 81.6 | 79.5 | 76.8 | 588 | 1714 | 182497 | 310 | 27.0 |
| | NAWABGANJ | 79.1 | 89.4 | 52.2 | 67.0 | 530 | 1690 | 159950 | 302 | 23.8 |
| | NILPHAMARI | 73.0 | 78.2 | 73.8 | 81.7 | 792 | 1824 | 184790 | 233 | 25.3 |
| | PABNA | 82.7 | 85.0 | 62.1 | 60.0 | 996 | 3387 | 302716 | 304 | 26.8 |
| | PANCHAGARH | 87.2 | 90.4 | 85.3 | 86.8 | 502 | 1068 | 109397 | 206 | 30.6 |
| | RAJSHAHI | 85.7 | 83.7 | 84.4 | 88.3 | 874 | 2400 | 289439 | 331 | 30.6 |
| | RANGPUR | 79.7 | 77.2 | 71.0 | 65.9 | 1037 | 2913 | 325558 | 314 | 26.7 |
| | SIRAJGANJ | 88.9 | 86.6 | 73.3 | 66.1 | 1735 | 4065 | 362822 | 209 | 27.0 |
| | THAKURGAON | 80.7 | 81.3 | 67.1 | 58.6 | 726 | 1496 | 150820 | 208 | 27.3 |
| | DIVISIONAL (Rural) | 82.0 | 82.4 | 67.2 | 70.2 | 14684 | 38368 | 3518517 | 239 | 27.1 |

A N N E X U R



I METH

II CONF

III DEFIN

IV ABBRE

Population Census Demographic Survey (PDS) and Birth-Death Sample Registration System (BDSR) has been carrying out vital registration of births, deaths, marriages and migration in 210 Primary Sampling Units (PSU) -150 rural and 60 urban since 1980. Each PSU consists of around

M E T H O D O L O G Y

250 households covering a total of about 310,000 persons (0.28% of total population). Cantonments, institutions like hotels, barracks, jails, etc. were excluded from the survey. The de jure definition of population is followed here.

Stratified cluster sampling of equal size has been adopted for BDSR with households as the ultimate sampling units. Efforts are being made to increase the number of PSUs to 500 so as to get estimates at the district level also.

Definition The PSU definition is based on the 'mauza' or the 'mahalla'. A BDSR PSU is defined as a compact area of approximately 250 households. Mauza is a defined area in rural Bangladesh and is synonymous with a single village. In urban areas the equivalent is the 'mahalla'.

Birth-Death Sample Registration System (BDSR) of PDS & BDSR Wing, Bangladesh Bureau of Statistics (BBS)

Urban Areas The urban universe consists of the four Statistical Metropolitan Areas (SMAs) of Dhaka, Chittagong, Khulna and Rajshahi, and seventy one other "pourashavas" (municipalities). These areas contain a population of 10.7 million or about 9.6% of the total population of the country (1991). For sampling purposes, the urban universe has been divided into the six primary strata consisting of the four SMAs, large cities and small cities. PSUs were then allocated to each of the urban strata in proportion to the number of households contained in each stratum. As a result, the 560 PSUs were distributed in 27 different cities - the 4 SMAs, 9 large cities and 14 small cities. In addition to the six primary strata, a secondary stratification was introduced within each primary stratum. In each of the four SMAs, PSUs were stratified geographically by cities, the cities were then grouped into districts and the districts into divisions. After this secondary stratification was accomplished within each primary stratum, the sample PSUs were determined by means of systematic sampling with probability proportional to the number of households.

Rural Areas Rural universe consists of areas in the country not included in the urban universe. The 150 rural PSUs were selected from 150 rural strata with an equal population size, i.e., one sample PSU per stratum. Each rural stratum consists of one whole 'thana' or a group of contiguous 'thanas' with the restriction that rural strata boundaries do not cross district boundaries.

This rapid survey technique was designed with two major objectives in mind namely: a) interplay of national and sub-national data and b) the need to provide results rapidly with comparatively simple and inexpensive survey procedures. In this survey, estimates

Multiple Indicator Cluster Survey

were made for each of the 64 districts of the country in order to meet programme needs and to target appropriate interventions. On the other hand, aggregations of the district level data to provide divisional and national estimates were also made for measuring progress toward the Summit Goals. To accomplish these objectives, the EPI Cluster Survey technique was modified in order to fulfil the criteria described above.

For sample size determination, measles immunization was considered as the indicator rate in occurrence, the target group being children within the age group of 12-23 months. With the precision level of ± 0.10 (as in EPI design model) on the estimated prevalence rate, the sample size was calculated in terms of the number of households, nh , in order to locate the required number of sample children, n , in the mentioned age group.

The sample size of children aged 12-23 months receiving measles vaccine for a district was calculated as 126 by using standard statistical formula where the values of expected proportion of children in the age group to have received measles vaccine and design effects were taken as 0.75 and 1.75 respectively from 1993 experimental data on measles immunization.

Based on the same experimental data the average number of households which is necessary to visit in order to find one child in the age range 12-23 months was estimated as 4 and hence the total number of the households needed to visit for 126 such children would be 504.

Finally, the calculated sample size of 504 households was further adjusted to 520 to accommodate the changes in the expected number of households actually available per cluster.

Cluster Design Starting from the calculated sample size of roughly 520 households per estimation area, the average cluster size was estimated to be 40 households. This meant that 13 clusters would have to be selected in each district (or urban strata) for final enumeration. Altogether 39,000 households in 975 clusters of 64 rural and 11 urban domains throughout the country.

Clusters, for the survey, were defined as compact area segments. The segments were formed by selecting rural "mauzas" or urban "mahallas" in the first stage of selection, using the 1991 Population Census counts of households, with probability proportionate to size (pps). Each selected "mauza" or "mahalla", was segmented in the field through the use of sketch-mapping and/or listing of households. The number of segments created in each selected "mauza" was equal to the census count of households in the "mauza" divided by 40 and rounded to the nearest integer.

After the "mauza" (or mahalla) was sub-segmented, one segment was selected at random and all the households within the chosen segment were interviewed thus covering all persons in the various target age groups.

The technique used to select the sample creates a self-weighting sample in each district; i.e every household in the district had the same probability of selection and the district-level data could be tabulated without the need to use population weights. However, while combining the district level data for divisional or national estimates proportionate weighing was done.

Stratification Two levels of stratification were selected:

1. Urban: 4 Metropolitan Cities namely Dhaka, Khulna, Chittagong and Rajshahi with slum/non-slum population in Dhaka and Chittagong including other municipalities in five divisions;
2. Rural: 64 Districts excluding the Municipal Areas.

Panel Data The households surveyed during MIS 1994 were repeated in the 1995 survey. Repetition of the same households has minimized the sampling bias in detecting the change over time for the various indicators. This means that the influence of sampling error (confidence intervals) is minimal on the measurement of change between 1994 and 1995 figures.

Data Rechecking In order to check the quality of data, 8% of the households were re-interviewed (25% households in randomly chosen four clusters in each district).

Post enumeration check A Post Enumeration Check (PEC) was done by BBS in 25 randomly selected clusters the findings of which was consistent with the main survey.

CONFIDENCE INTERVALS OF INDICATORS



PART A (all figures in percent)

| Indicators | | National | Divisional | District |
|--|----------|----------|------------|----------|
| Diarrhoea in last 15 days | Boy | 1 | 2 | 6 |
| | Girl | 1 | 2 | 6 |
| | Both sex | | | 5 |
| Amount of fluids given during diarrhoea | Boy | 4 | 7 | |
| | Girl | 3 | 5 | |
| | Both sex | | | 18 |
| Continued feeding during diarrhoea | Boy | 3 | 6 | |
| | Girl | 1 | 2 | |
| | Both sex | | | 5 |
| Type of treatment of diarrhoea | Boy | 4 | 7 | |
| | Girl | 4 | 7 | |
| | Both sex | | | 18 |
| Source of treatment for diarrhoea | Boy | 3 | 5 | |
| | Girl | 3 | 5 | |
| | Both sex | | | 15 |
| Exclusive Breastfeeding to children 6-23 months of age | Boy | 2 | 3 | |
| | Girl | 2 | 3 | |
| | Both sex | | | 5 |
| Vitamin A Coverage in children < 2 years (1 dose or more) | Boy | 1 | 2 | |
| | Girl | 1 | 2 | |
| | Both sex | | | 8 |
| DPT3/OPV3 coverage in children 12-23 months of age | Boy | 2 | 4 | |
| | Girl | 2 | 4 | |
| | Both sex | | | 8 |
| Measles coverage in children 12-23 months of age | Boy | 3 | 5 | |
| | Girl | 2 | 5 | |
| | Both sex | | | 12 |
| Prevalence of severe malnutrition (MUAC <12.5 cm) in children 12-59 months of age. | Boy | 1 | 2 | 6 |
| | Girl | 1 | 2 | 5 |
| | Both sex | | | 4 |

CONFIDENCE INTERVALS OF INDICATORS

▶ **PART B** (all figures in percent)

| Indicators | | National | Divisional | District |
|---|------|----------|------------|----------|
| School enrolment (6-10 years of age) | Boy | 1 | 2 | 8 |
| | Girl | 1 | 3 | 8 |
| Attendance in last 3 school working days. | Boy | 2 | 3 | 11 |
| | Girl | 2 | 3 | 11 |

▶ **PART C** (all figures in percent)

| Indicators | National | Divisional | District |
|---|----------|------------|----------|
| Place of last delivery | 1 | 1 | 3 |
| Last delivery conducted by | 1 | 2 | 8 |
| TT during last pregnancy | 2 | 3 | 11 |
| Antenatal care | 2 | 3 | 9 |
| Awareness of ARI | 1 | 2 | 8 |
| Awareness about when to seek help (ARI) | 1 | 2 | 6 |
| Source of drinking water | 1 | 1 | 3 |
| Type of latrine | 2 | 4 | 13 |
| Hand washing after defecation | 2 | 3 | 9 |
| Households using iodated salt | 2 | 3 | 10 |
| Type of roofing material used for the house | 2 | 3 | 11 |

DEFINITIONS of indicators

DEMOGRAPHY

Crude birth rate

Annual number of birth per 1000 population.

Crude death rate

Annual number of deaths per 1000 population.

Infant mortality rate

Number of deaths of children less than 12 months of age, per 1,000 live births. More specifically, this figure represents the probability of dying between birth and 12 months of age.

Total fertility rate

The number of children that would be born to a woman, if she were to live to the end of her child-bearing years and bear children at each age according to the prevailing age-specific fertility rates.

Life expectancy at birth

The number of years a new born child will live if subjected to the mortality risks prevailing for the cross-section of population at the time of their birth.

Under-five mortality rate

Number of deaths of children under-five years of age per 1,000 live births. More specifically it represents the probability of dying between birth and five years of age.

Maternal mortality ratio

Number of deaths of women due to pregnancy related causes per 100,000 live births. Bangladesh Bureau of Statistics uses 1,000 live births as the denominator.

Contraceptive prevalence rate

Percentage of married couples aged 15-49 years currently using contraceptives.

IMMUNIZATION

Tetanus toxoid during last delivery

Percentage of women who delivered in the last two years from the date of interview, and who received one or more doses of TT during the last pregnancy.

Measles vaccination coverage among children 12-23 months of age

Percentage of children 12-23 months of age given one dose of measles vaccine.

DPT/OPV coverage

Percentage of children between 12-23 months of age given one, two or three doses of DPT and OPV.

DIARRHOEA

Diarrhoea in last 15 days

The percentage of children in under-five age group who had three or more instances of loose or watery stools per day or blood in stool in the last 15 days from the date of interview..

Diarrhoea treatment practices

Percentage of diarrhoea cases managed by the use of ORS, Laban-gur, sugar-salt solution, any other fluid prepared at home, medicines or any other practices, at home or outside. The term "ORT" (ORS / Laban Gur / any other fluid prepared at home) used as one of the "types of treatment" in the data does not include plain drinking water.

Source of treatment of diarrhoea

Source of treatment of the episode of diarrhoea that took place in the last 15 days. This includes health center or qualified allopathic practitioner, unqualified village practitioners/quacks, family welfare assistant/health assistant, self/neighbours etc.

ORT use rate (post-1993 definition)

Percentage of all cases of diarrhoea episode, in the last 15 days, that received increased amount of fluids and continued feeding. Increased fluids include all home made fluids, home available fluids, ORS and water. Continued feeding includes all foods (breastfeeding included) regardless of the quality of food - decreased, the same or increased. Water is considered as ORT in cases where feeding is continued.

ORT use rate (pre-1993 definition)

Percentage of diarrhoea episodes in under-five age group treated with Oral Rehydration Salts (ORS) and/or recommended home fluids.

Amount of liquid given to the child

The amount of liquid given to the child who had diarrhoea in the last 15 days. Liquids include all home made fluids, home available fluids, ORS and water.

Amount of usual food given to the child

The amount of food given to the child (during the episode) who had diarrhoea in the last 15 days - increased, same, less or no food. All foods, including breastfeeding, are considered.

NUTRITION**Vitamin A coverage**

Percentage of children between 6-59 months of age who received one or more doses of vitamin A in the last one year. The Bangladesh programme administers doses of 50,000 i.u. to children less than 9 months, 100,000 i.u. between 9-12 months and 200,000 i.u. after 12 months.

Use of iodized salt

Percentage of households using iodised salt as assessed by using starch solution.

Prevalence of malnutrition

Percentage of children of ages 12 to 59 months who have a mid-upper arm circumference of less than 12.5 cms. This figure represents the prevalence of severe malnutrition.

Duration of exclusive breastfeeding

The duration of exclusive breastfeeding in children aged 6 to 23 months. The inquiry assesses if the children were exclusively breastfed between the ages of 0 to 6 months.

Duration of continued breastfeeding

The duration of breastfeeding (exclusive or not) in children who are currently in the age group of 12 to 59 months.

EDUCATION**Enrollment rates**

Percentage of children 6-10 years of age enrolled in primary schools. The figures represent net enrollment rates. The age is assessed using an events calendar.

Attendance in the last three days

Percentage of enrolled children who attended school in the last three consecutive school days.

Literacy

Percentage of people, 7 years or more, who can write a letter.

WATER & SANITATION**Use of sanitary latrines**

Percentage of households whose members use either water-seal or pit latrines. Hanging latrines, other types of latrines that do not isolate the feces, and open air defecation are considered as unsanitary latrines.

(Note : Water seal latrines whose 'goose neck' are broken are treated as pit latrines).

Source of drinking water

Percentage of houses collecting drinking water from the following sources - tubewell, ringwell, tap, other sources including pond, river etc. This figure does not take into consideration the amount of water collected, the time taken for water collection or the distance of the water source from the house.

Source of water for household work

Percentage of houses collecting water for household work (washing clothes, utensils, etc.) from the following sources - tubewell, ringwell, tap, other sources including pond, river etc. This figure does not take into consideration the amount of water collected, the time taken for water collection or the distance of the water source from the house.

OTHER HEALTH INDICATORS

Ante-Natal Care

Percentage of mothers who delivered their last child within two years from the date of interview and received ante-natal care during the pregnancy period.

ARI awareness

Percentage of households where mothers have the knowledge that common coughs and colds can be the first signs of acute respiratory infections.

Awareness regarding when to seek help for ARI

Percentage of households where mothers know the danger signs of acute respiratory infections (rapid breathing, chest indrawing).

Delivery by trained personnel

Percentage of deliveries, in the last three years, assisted by a trained personnel - doctor, trained health workers, mid-wife, trained traditional birth attendant.

Place of delivery

Percentage of deliveries, in the last three years, by the place where they were conducted - health center/hospital, home, neighbour's house, any other place.

A B B R E V I A T I O N S

| | |
|--------|--|
| ANC | Ante-Natal Care |
| ARI | Acute Respiratory Infection |
| BBS | Bangladesh Bureau of Statistics |
| BDSR | Birth - Death Sample Registration System |
| CNS | Child Nutrition Survey |
| CPS | Contraceptive Prevalence Survey |
| CSD | Child Survival and Development |
| EPI | Expanded Programme on Immunization |
| GDP | Gross Domestic Product |
| GNP | Gross National Product |
| HES | Household Expenditure Survey |
| HDS | Health and Demographic Survey |
| HH | Households |
| IMR | Infant Mortality Rate |
| ISRT | Institute of Statistical Research & Training |
| MMR | Maternal Mortality Rate |
| ORS | Oral Rehydration Salt |
| PDS | Population Census Demographic Survey |
| PSU | Primary Sampling Unit |
| SMA | Statistical Metropolitan Area |
| SAARC | South Asian Association for Regional Cooperation |
| U5MR | Under Five Mortality Rate |
| UN | United Nations |
| UNICEF | United Nations Children's Fund |
| UNSTAT | United Nations Statistics Division |
| WHO | World Health Organization |
| WSC | World Summit for the Children |

NOTES

CONTENTS

*Md. Khurshid Kamal
A.K.M. Abdus Salam
Bangladesh Bureau of Statistics
Statistics Division, Ministry of Planning
Government of the People's Republic of Bangladesh,
Dhaka, Bangladesh*

*Muhammad Shuaib
ISRT, Dhaka University*

CONTRIBUTIONS ACKNOWLEDGED

*Institute of Statistical Research and Training Dhaka University
Associates for Community and Population Research
H & H Research Partners
Dr. P. C. Sarker
Rural Development Academy, Bogra
Dr. Abdur Rahman
Md. Zakir Hossain
Dr. Tofail Ahmed
Dr. Abdus Sobhan
M.N.H. Siddique
Shwe Aung Prue
Dr. Barkat-E-Khuda
Dr. Anwar Hossain Talukdar*

CONCEPT DESIGN & COMPUTER GRAPHICS

*ANDES LTD Dhaka Bangladesh
Aneela Haque, design
M. Atiqur Rahman, computer graphics
Badal, computer graphics*

PHOTOGRAPHY

*© Shehzad Noorani
Czikus Carriere*

PRINTING

*The Pioneer Printing Press Ltd.
Dhaka, Bangladesh*

